Enterprise Desktop Client Functional Specifications

iShip.com, Inc. 3535 Factoria Blvd. SE - Fifth Floor Bellevue, Washington 98006 Phone: (425) 602-4848 Fax: (425) 602-5025



1. Table of Contents

1.	TABLECE	CONTENTS	. 2
• •			
2.	TABLE OF ILLUSTRATIONS 3		
3.	INTRODUC	CTION	. 5
	3.1. Pul	RPOSE	. 5
	3.2. Sc	OPE	. 5
4.	COMMON	FEATURES	. 6
	4.1. SE	CURITY	. 6
	4.2. AP	PLICATION PAGES	. 6
	4.3. Bu	TTON BEHAVIOR	8
		FILIATE CO-BRANDING	
		LP/FAQs	
	4.6. ER	ROR BEHAVIOR	11
	4.7. CIT	ry, State, ZIP validation	12
	4.8. RA	TING	12
	4.8.1.	Preparation	12
3	4.8.2.	Shipping Charges and Delivery Times	34
I	4.9. LIS	ST BEHAVIOR	40
] [] []5.	REGISTRA	ATION	42
IJ. :≒	5.1. RE	GISTRATION	42
= []	5.1.1.	General	42
ij	5.1.2.	Requirements	42
h.j	5.1.3.	Address Information	43
E	5.1.4.	More Information	45
Q	5.1.5.	Carrier Account Information	. 47
14 fy	5.1.6.	Registration Complete	. 48
14 14	5.1.7.	Affiliate Registration	. 49
[] []6.	HOME		. 50
Ļ⊸o.	6.1. Lo	DGON	. 50
	612	Log Out	. 50
	6.2. U	NIFIED LOGON	. 51
	6.3. P	ASSWORD RECOVERY	. 51
7.		Welcome	. 54
	7.1.1.		. 56
	7.1.2.		61
	7.1.3.		. 63
	7.1.4.		63
	7.1.5.		
8.	PRICE IT		76
	8.1. L	OGGED ON USERS	<i>ا</i> ل
	8.2. L	OGGED OFF USERS	۵۷ م
	8.3. C	QUICKPRICE	., 01

a	SELL IT		. 83
J .	9.1. Loc	GGED ON USERS	. 83
		GGED OFF USERS	
	9.2. Loc	GGED OFF USERS	. 50
10.	SHIP IT91		
		Standard	
	10.1.2.	Without Rate Grid	. 97
11	TRACK IT		100
		Navigation	
		One-Field Tracking	
		Tracking History (logged on users only)	
	11.1.3.	Tracking History (logged on users only)	103
_			
		f Illustrations N 1: STANDARD APPLICATION PAGE	6
TLL H I	IUSTRATION	N 2: SAVE	9
ILL	USTRATION	N 3: SAVE ERROR	10
ILL	USTRATION	N 4: ERROR PAGE	11
_ILL	USTRATIO	5: FROM POSTAL CODE	12
	.USTRATIO	N 6: SHIPPING DESTINATION	13
<u>a</u> ll	USTRATION	7: BUSINESS/RESIDENCE CHOICE	14
QLL	USTRATION	N 8: NUMBER OF PACKAGES	14
≣LL	USTRATIOI.	N 9: PACKAGES IN SHIPMENT	15
ું!!	USTRATIOI USTRATIOI	N 11: ADVANCED PACKAGE OPTIONS	18
ULL.	USTRATIO	N 12: SHIPPING OPTIONS	21
٦̈̈́LL	USTRATIO	N 13: DROP OFF LOCATOR	25
٦٩٢١	USTRATIO	N 14: FREIGHT PICKUP OPTIONS	26
_ILL	USTRATIO	N 15: FREIGHT DELIVERY OPTIONS	27
== LL	USTRATIO	N 16: HANDLING CHARGES N 17: SHIPPING ADDRESSES	29
1-41∟L 1191 t	OSTRATIO:	N 17: SHIPPING ADDRESSESN 18: PAYMENT	32
: 레니	USTRATIO	N 19: SHIPPING CHARGES AND DELIVERY TIMES	34
<u> </u>	USTRATIO	N 20. SHIPPING CHARGES	36
I	USTRATIO	N 21: SUMMARY OF SHIPMENT INFO	
ILI	USTRATIO	N 22: SUMMARY OF PACKAGE INFO (SINGLE PACKAGE)	37
ILI	USTRATIO	N 23: SUMMARY OF PACKAGE INFO (MULTIPLE PACKAGES)	38
ILI	USTRATIO	N 24: PACKAGE SUMMARY N 25: SHIPPING OPTIONS	۵۵ ۲۵
ILL	LUSTRATIO	N 26: HIGHLIGHTED ROW	41
ILL II I	OTRATIO OTRATAL	N 27: REGISTRATION REQUIREMENTS	42
11.1	USTRATIO	N 28: REGISTRATION ADDRESS	43
11.1	USTRATIO	N 29: REGISTRATION MORE INFORMATION	45
11.1	LUSTRATIO	N 30: CARRIER ACCOUNT INFORMATION	47
11_1	LUSTRATIO	N 31: REGISTRATION COMPLETE	48
11.1	USTRATIO	N 32: LOG ON	50
11.1	USTRATIO	N 33: PASSWORD RECOVERY	51
ILI	LUSTRATIO	N 34: PASSWORD RECOVERY	52
ILI	LUSTRATIO	N 35: PASSWORD RECOVERY (SUCCESS)	52
ILI	LUSTRATIO	N 36: PASSWORD RECOVERY (FAILURE)	53
ILI	LUSTRATIO	N 37: MY ISHIP WELCOME PAGE	54 مع
IL	LUSTRATIO	N 38: ADDRESS BOOK LIST VIEWN 39: ADDRESS BOOK EDIT VIEW	50 58
IL.	LUSTRATIO	N 40: LOCATIONS LIST VIEW	59
۱L	LUUTIO	44 40. 200/110110 Elot 11211	

A TOTAL MENA	60
ILLUSTRATION 41: ADDRESS K SELECT VIEW	64
ILLUSTRATION 41: ADDRESS TO K SELECT VIEW ILLUSTRATION 42: PREFERENCES START PAGE ILLUSTRATION 43: PREFERENCES ACCOUNT INFO	65
ILLUSTRATION 43: PREFERENCES ACCOUNT IN OILLUSTRATION 44: DEACTIVATE ACCOUNT	67
ILLUSTRATION 45: DEACTIVE ACCOUNT	68
The specific cuidding OPHONS	
TO BOLOGUE OF A DE DACE	•
	. • .
THE PROPERTY OF THE PROPERTY O	
THE PARTY OF THE P	
EN TO THE TOTAL TO BE TO THE TOTAL T	
UILLUSTRATION 69: RESULTS WITH ERROR FOR TRACK MOETH LETY.	. 102
LILLUSTRATION 71: TRACK IT ERROR PAGE	. 105
ILLUSTRATION /2: TRACKING LOG5	

The first and the first of the

3. Introduction

3.1. PURPOSE

The Desktop Client follows the life cycle of the Price It, Sell It, and Track It tools. Ship It and Preferences have been added and Price It, Sell It, and Track It have added functionality for logged on users.

The focus of the new features is improved choice, ease of use for the end user, greater flexibility in configuration for co-brands, and ease of navigation.

3.2. SCOPE

The Desktop Client replaces the functionality of the logged on web site (Wolverine). This specification covers Registration, Log On, Home, Preferences, Price It, Sell It, Ship It, and Track It.

The Desktop Client will be configurable for use as Personal Shipper (targeted at SOHO customers and home users), Small Business Edition, and Enterprise Edition.

4. Common Features

4.1. SECURITY

- 1. Any page where potentially confidential information is entered or transmitted will be secure.
 - 1.1. Log On
 - 1.2. Registration
 - 1.3. User Preferences
 - 1.4. Ship It pages

4.2. APPLICATION PAGES



Illustration 1: Standard application page

Brop Off/Pickup:

Ship Date:

Handling Charges:

PERMITRA PREMIUDIO PARTICIPATO DE CONTRA PARTICIPATA DE CONTRA PARTICIPA PAR

1. Applications will be displayed within a consistent framework consisting of:

Price Another Saye

My location

THUR - 11/11/99

10%

1.1. Border

Shipping Options:

[Change]

Belivery Options: Residence

- tisplayed at the top left of the border. 1.2. The iShip logo will
 - 1.2.1. On supported browsers, when the user hovers over the iShip logo, a marketing message
 - 1.2.2. The marketing message will be a configurable item.
- 1.3. Page Title
 - 1.3.1. The page title shall be the same as the title on the Navigation Bar.
 - 1.3.2. Each page shall include an appropriate meta tag.
- 1.4. Application Navigation

will appear.

- 1.4.1. Navigation tabs will display at the top right of the application border.
 - The tabs will include:
 - 1.4.1.1.1. My iShip
 - Price It 1.4.1.1.2.
 - Ship It 1.4.1.1.3.
 - Track It 1.4.1.1.4.
 - Sell It 1.4.1.1.5.
 - Help 1.4.1.1.6.
 - Only applications available to the user shall appear on the menu 1.4.1.1.7.
 - The application currently in use will be highlighted. 1.4.1.2.
- 1.4.2. The navigation menu for the current application will appear on the right of the application pages.
 - Navigation menu items unavailable to the user will be grayed out. 1,4.2.1.
 - Log On or Log Off will appear on each application navigation menu. 1.4.2.2.
- 1.4.3. An "In Process" section on the navigation bar will include the first five shipments saved by the user in that application as pending items.
- 1.5. At the bottom of the navigation bar will display:
 - 1.5.1. Link to having trouble page
 - 1.5.2. Link to questions or comments form
 - 1.5.3. TrustE logo
 - The TrustE logo will link to the iShip.com privacy policy.
- 1.6. The iShip.com copyright notice will be appear on the bottom of each page.
- 1.7. Buttons
 - 1.7.1. Buttons will be displayed at the bottom right hand of the application page, within the border.
- 2. The user will be able to navigate freely among application pages.
 - 2.1. If the user has entered enough information to view a particular application page, the page will be accessible via the right-hand navigation menu.
 - 2.1.1. If the user has not entered information allowing the user access to a particular application page, the item on the navigation menu will be grayed out.
 - 2.2. Selecting a navigation item outside of the application will cancel any unfinished activities within the application.
 - 2.2.1. Leaving an application will bring up an alert box notifying the user that he will lose all information entered.
 - 2.2.2. The alert box will allow the user to cancel and return to the current application.
- 3. Application Start pages
 - 3.1. Selecting an application will bring the user to an application start page.
 - 3.1.1. Price It
 - 3.1.2. Ship It
 - 3.1.3. Preferences

3.1.4. Sell It



- 3.2. The start page will show all data elements to be entered in that application.
 - 3.2.1. The user will be able to jump to any application page from the start page.
 - 3.2.2. The user's entries will be displayed hard coded on the start page.
 - 3.2.3. Each section of each start page will include
 - 3.2.3.1. Change link
 - 3.2.3.1.1. The change link will take the user to the appropriate wizard page for that application section.
 - 3.2.3.2. Reset to defaults link
 - 3.2.3.2.1. The reset link will reset all data elements in the application section to the user's defaults.
 - 3.2.3.2.2. If no defaults are selected, the data elements will be left blank.
- 3.3. If the user has preferences relevant to any field in the application, those defaults will be displayed.
- 3.4. The user will always be able to return to the application start page from the application navigation bar.
 - 3.4.1. The application start page will reflect additions and changes made by the user within the application.
- 3.5. When the user has selected not to use the application start page, the first page of the application will display when the user selects the application.
- Field labels
 - 4.1. Required fields will be indicated with a Bold Blue label
 - 4.2. Non-required fields will be indicated with a Black label
 - **4.3.** For unsupported browsers, all fields required under some circumstances but not others will be denoted with a Bold Black label.

4.3. BUTTON BEHAVIOR

- 1. Cancel
 - 1.1. When a user is not logged in and the user clicks on Cancel:
 - 1.1.1. An alert box will notify the user that he will lose all information entered.
 - 1.1.2. The alert box will allow the user to cancel and return to the current application.
 - **1.1.2.1.** If the user cancels, he will be returned to his last location in the current application.
 - 1.1.2.2. If the user clicks OK, the user will be sent to the URL defined by the affiliate as the return on cancel page.
 - 1.1.2.2.1. If no return on cancel page has been defined, the user will be returned to the affiliate page from which he entered the site.
 - 1.1.2.2.2. If we are unable to send the user to the referring page, when the user clicks on Cancel, the user will be returned to www.iship.com.
 - 1.1.2.2.2.1. In supported browsers, the Cancel button will also warn the user that clicking on the button will not take him to the page from which he entered the site.
 - 1.2. When the user is logged in and the user clicks on Cancel:
 - 1.2.1. An alert box will notify the user that he will lose all information entered.
 - 1.2.2. The alert box will allow the user to cancel and return to the current application.
 - 1.2.2.1. If the user cancels, he will be returned to his last location in the current application.
 - 1.2.2.2. If the user clicks OK, the user will be returned to the My iShip page.
- 2. Next
 - 2.1. When the user clicks on Next, the page will validate all user information.

- 2.2. If all elements pas. dation, the user will be taken to the next the in the wizard order.
- 3. Back
 - 3.1. When the user clicks on Back, the user will be taken to the previous page in the wizard order.
- Done
 - 4.1. When the user clicks on Done, the user will be sent to the URL defined by the affiliate as the return on Done page.
 - 4.1.1. If no Return on Done page has been defined, the user will be returned to the affiliate page from which he entered the site.
 - **4.1.2.** If we are unable to send the user to the referring page, the user will be returned to www.iship.com.
 - **4.2.** When the user is logged in and the user clicks on Done, the user will be returned to the My iShip Welcome page.
- 5. Close
 - **5.1.** Supported browsers: When a dialog is opened in a new window, the Close button will close the window and return the user to his previous location.
 - **5.2.** Unsupported browsers: When a dialog is opened into the existing window, the Close button will return the user to the previous page at his previous location.
- 6. Save
 - 6.1. A pop-up window will be displayed:




Illustration 2: Save

- 6.1.1. Text: Save <type of item>
- 6.1.2. Nickname text box
- 6.1.3. Store in Saved Packages? check box
 - 6.1.3.1. Yes: The shipment will be stored as a saved package.
 - **6.1.3.2.** No: The shipment will be saved as a pending item.
- **6.1.4**. Buttons
 - 6.1.4.1. Save
 - 6.1.4.1.1. When the user saves as a pending item, the shipment will
 - 6.1.4.1.1.1. Be stored in the database.
 - **6.1.4.1.1.2.** Be reported in the Pending tab of Track It history.
 - 6.1.4.1.1.3. Be displayed in the "In Process" section of the appropriate application's navigation bar.
 - 6.1.4.1.1.4. If the item was created in Price It, it will be displayed on the Price It navigation bar.
 - 6.1.4.1.1.5. If the item was created in Ship It, it will be displayed on the Ship It navigation bar.
 - 6.1.4.1.1.6. If the item was created in Sell It, it will be displayed on the Sell It navigation bar.
 - 6.1.4.1.1.7. Only the first five saved items will be displayed in the In Process section.

1.4.1.2. If the name already exists where e user selects Save, an error message will be displayed: "You already have a shipment named <Nickname>. Click Save to overwrite the existing shipment. OR Type a new name in the Nickname field."




Illustration 3: Save Error

6.1.4.2. Close

- 6.1.5. If the name entered by the user matches a previously existing entry in the application, an alert dialog will notify the user of the conflict. The user will be given the choice of
- 6.1.6. OK: Overwrite the existing entry.
- 6.1.7. Cancel: Return to the Save dialog box
 - 6.1.7.1. The focus will be given to the Name text box.

7. Reset

- 7.1. If there is stored information in the database for any field on the current page, the current information in the field will be replaced with the stored information.
- 7.2. If there is not stored information in the database for a field, the entries in that field will be deleted.
- 7.3. The user will be returned to the first field on the page.
- 7.4. No information on any other page will be affected.
- 8. Show Rates
 - 8.1. All package-level required information will be validated.
 - 8.2. Shipment-level options not entered will be populated with defaults.
 - 8.3. The Shipping Charges and Delivery Times page will be displayed.

4.4. AFFILIATE CO-BRANDING

- When a user enters iShip.com from an Enterprise or affiliate site, each page of the Desktop Client will render with all co-branding elements.
- 2. Co-branding elements may include
 - 2.1. Affiliate navigation elements (top and/or bottom)
 - 2.2. An affiliate logo
 - 2.3. Affiliate colors
 - 2.4. Affiliate fonts.
 - 2.5. Affiliate text:
 - 2.5.1. The affiliate may change all references to "buyers" with a word of their choice.
- 3. The iShip.com logo will appear on every page.
- 4. Affiliate co-branding will be controlled by the affiliate module of the Administration client.

4.5. HELP/FAQS



- Context sensitive help
 - 1.1. Each section on each page will have a Help link.
 - 1.2. The Help link will lead to an FAQ page directly related to the page section.
 - 1.3. Each FAQ page will link to further help information.
- 2. Standard Help
 - 2.1. Clicking on Help on the top menu bar will take the user to a Help application.

4.6. ERROR BEHAVIOR






Illustration 4: Error page

- 1. When any page fails validation:
 - 1.1. On supported browsers, the application will place the focus on the first incomplete or incorrect field in the tab order.
 - 1.1.1. On supported browsers, any input field with errors will display with a changed background color.
 - 1.2. If any field is incomplete, the application will display an error message "One or more required field are incomplete. Please enter the required information."
 - 1.2.1. On supported browsers, any incomplete input fields will display with a changed background color.
 - 1.2.2. If some fields are incomplete and some fields are invalid, the invalid error message shall take precedence over the incomplete error messages.
 - 1.3. If any field fails validation, the appropriate error message will be displayed.
- 2. Error message format.
 - 2.1. Above the field with the error, a larger general error message will be displayed in red.
 - 2.2. One line below the general error message, a more specific error message will be displayed in red.

į.

Ę

4.7. CITY, STATE, ZIP VA ATION



- When the user enters a ZIP code in any postal code field, the city and state on future pages will be prepopulated based on the ZIP code.
 - 1.1. If there is more than one possible city associated with the ZIP code, the city choices will be offered in a drop down list.
 - 1.2. The user will only be required to select a city when the city field is required.
- 2. When the user enters a city and state but no ZIP code, the postal code field on future pages will be prepopulated based on the city and state.
 - 2.1. If there is more than one possible ZIP code associated with the city and state, the ZIP code choices will be offered in a drop down list.
 - 2.2. The user will only be required to select a ZIP code when the postal code field is required.
- 3. The availability of this option is configurable by the Administrator.

4.8. RATING

4.8.1. Preparation

- 1. The user will be able to select items from a Saved Packages list, which will pre-populate all fields the user has populated for that Saved Package item.
 - 1.1. The Saved Package list will be accessible from the Application Start Pages of Price It, Sell It, and Ship It.
 - 1.2. The Saved Package list will be accessible from the Package pages of Price It, Sell It, and Ship It.
- 2. The elements listed here will be used in rating and shipping a package. Specific elements will be referred to in Price It, Sell It, and Ship It.
- From Postal code text box.

Shipping	ORIGIN:
----------	----------------

ZIP Code: | 98006

98125, for example

Drop Off Locator

NOTE: iShip.com currently supports packages shipped from the U.S. only.

Illustration 5: From postal code

- 3.1. The text box will allow the entry of a nine-digit U.S. Postal code, including dash. The dash and the last four numbers will be ignored.
 - 3.1.1. The label will be
 - 3.1.1.1. "ZIP Code:" if the user's address is within the U.S.
 - 3.1.1.2. "Postal Code" if the user's address is outside the U.S.
 - 3.1.2. If the user fails to enter a Postal code in the origin Postal code field:
 - If a city and state have been entered and we can determine the correct postal 3.1.2.1. code, that postal code will be used.
 - 3.1.2.2. If we are unable to determine the correct postal code, the user will receive the error message:
 - If the user's address is within the U.S.: "Please enter a valid U.S. 3.1.2.2.1. ZIP Code."
 - 3.1.2.2.2. If the user's address is outside the U.S.: "Please enter a valid Postal Code."
 - 3.1.3. Note text shall read: "Note: iShip.com currently supports packages shipped from the U.S."
- Address Nickname text box (optional) and Find in Address Book link.




Illustration 6: Shipping Destination

- 4.1. Label will be "Nickname"
- 4.2. User will enter nickname of an address and select "Find in Address Book" link.
 - **4.2.1.** If no nickname has been entered into the Nickname field, the Select Address View of the Address Book will be displayed.
 - **4.2.2.** We will look up the nickname in the user's address book.
 - **4.2.2.1.** The query will find all records with a nickname beginning with the user's entry in the nickname field.
 - 4.2.2.2. If no matching nicknames are found, the address book will display the closest alphabetical match to the user's entry.
 - **4.2.3.** If the nickname is found, the Address Book view will be displayed with a list of all entries meeting the query.
 - **4.2.4.** If the nickname is not found, an alert dialog box will appear: "Do you want to select an address from your address book?"
 - 4.2.4.1. The choices will be Yes and No
 - **4.2.4.2.** If the user answers Yes, the Select Address View of the Address Book application will be shown.
 - 4.2.4.3. If the user answers No, the user will be returned to the Nickname field.
- 5. Destination Country drop-down list.
 - 5.1. The user will select a destination Country.
 - 5.1.1. The default will be United States.
 - 5.2. In supported browsers, the appropriate labels for that Country will be displayed.
 - 5.2.1. City
 - 5.2.2. State or Province
 - 5.2.3. ZIP or Postal Code
 - 5.2.3.1. If for the selected country we do not validate for Postal Code, a blank Postal Code field will pass validation even if it is marked as a required field.
 - 5.2.3.2. If no Postal Code is entered when Postal Code is a required field, a disclaimer shall appear below the rate grid on the Shipping Charges and Delivery Times page: "You did not enter a Postal Code. Depending on the actual Postal Code of your shipment, your shipping charges may be higher than those displayed here."
 - **5.2.4.** The labels will be marked required or not required depending on the requirements of the destination Country.
 - 5.3. Look up ZIP Code link
 - **5.3.1.** This option will appear for U.S. Destination addresses only.
 - 5.3.2. If the user enters a city and state and selects the Look up ZIP Code link, the appropriate ZIP code will be automatically entered into the ZIP Code field.
 - **5.3.2.1.** If the link is selected and either the City or State fields are blank, an error message will appear: "Not enough information entered. Please enter a City and select a State and try again."

5.3.2.2. The City and State do not match, an error ssage will appear: "The information you entered did not correlate to a valid city and state in our database. Please confirm that you are entering a valid city and try again."

- 5.4. Look up City, State link
 - 5.4.1. This option will appear for U.S. Destination addresses only.
 - **5.4.2.** If the user enters a ZIP code and selects the Look up City, State link, the appropriate city and state will be automatically entered into the City and State fields.
 - 5.4.2.1. If the link is selected and the ZIP Code field is blank, an error message will appear: "Not enough information entered. Please enter a valid U.S. ZIP Code and try again."
 - 5.4.2.2. If the link is selected and the ZIP Code is invalid, an error message will appear: "The information you entered is not a valid ZIP code. Please enter a valid U.S. ZIP Code and try again."
- 6. Business/residence radio buttons.

The delivery address for my shipment is a:

🖰 Business 🦵 Residence

Illustration 7: Business/Residence choice.

- 6.1. The user will select between business or residence radio buttons.
 - 6.1.1. The label will be "The delivery address for my shipment is a:"
 - 6.1.2. The default will be business.
- 7. Shipment definition.
 - 7.1. The user will enter the number of packages traveling to the same destination.

Number of packages in my shipment:

O

ΓLI

C

إلية

E 3

ſΨ

١,٠.]

4

NOTE: Enter a number greater than one for multiple packages going to the same address.

[<u>Help</u>]

্রীllustration 8: Number of packages

- 7.1.1. The label will be "Number of packages in my shipment:"
- 7.1.2. The text box will allow entry of numbers 1 through 20.
- 7.1.3. If a user enters an invalid amount, an error message will be displayed: "You may send a shipment of up to 20 packages. Please enter a number between 1 and 20."
- 7.1.4. Default will be 1.
- 7.1.5. AT RISK: Yellow Shipment processing.
- 7.2. All the packages in the shipment are the same.

All the packages in my shipment are the same:

Yes 🕝 No

[Help]

Illustration 9: Packages in shipment

- 7.2.1. Default will be yes.
- 7.3. If the number of packages in the shipment is greater than 1 and the packages in the shipment are not all the same, the user will see a package options screen for each additional package.
- 8. Package Weight and Type:




Illustration 10: Package weight and type

- 8.1. Nickname text field (optional) and "Find in Saved Packages" link.
 - 8.1.1. Label will be "Nickname"
 - 8.1.2. User will enter nickname of a saved package and select "Find in Saved Packages" link.
 - **8.1.2.1.** We will look up the nickname in the user's saved packages.
 - 8.1.2.2. If the nickname is found, all package fields for the current record will be populated with the information in the selected saved package.
 - **8.1.2.2.1.** The user will be returned to the Package Weight field.
 - 8.1.2.2.2. The query will find all records with a nickname beginning with the user's entry in the nickname field.
 - **8.1.2.3.** If the nickname is not found, an alert dialog box will appear.
 - 8.1.2.3.1. The dialog box will read, "Do you want to select a package from your saved packages?"
 - 8.1.2.3.1.1. The choices will be Yes and No
 - 8.1.2.3.1.2. If the user answers Yes, the Saved Packages application will be shown.
 - **8.1.2.3.1.3.** If the user answers No, the user will be returned to the Nickname field.
- 8.2. Package-weight text fields. (Required)
 - 8.2.1. Weight Type drop box will contain:
 - 8.2.1.1. Pounds, ounces
 - **8.2.1.1.1.** For supported browsers, a second "ounces" field will appear only when this item is selected.
 - 8.2.1.1.1.1. If the user enters a fractional number in the pounds text box, the ounces must be empty or zero.
 - 8.2.1.1.1.2. If the ounces text box is not empty or zero, the user will receive the error message: "Enter the weight in decimal pounds (3.5 pounds) or in pounds and ounces (3 pounds 8 ounces)."
 - 8.2.1.2. Grams
 - 8.2.1.3. Kilograms
 - **8.2.1.4.** Default will be user preference.



2.1.4.1. If user has not selected a pre Ounces. ce, default will be Pounds,

- 8.2.2. The weight text boxes will accept decimal fractions.
- **8.2.3.** The user's selection of a weight will determine the options shown on the service options page and the rates and services shown in the rate grid.
- **8.2.4.** If the user enters a weight too high for any supported Carrier, the user will receive an error message: "Your shipment weight exceeds the maximum allowed."
 - **8.2.4.1.** The maximum weight allowed will be 750 pounds.
- **8.2.5.** When shipping large or heavy items, the user will be able to drill down through categories to select an item to be shipped. This selection will populate the weight and dimensions fields.
- 8.2.6. The selection of a freight item will generate a cost associated with packaging that item.
 - 8.2.6.1. For Price It and Sell It, the seller may include this amount in the rate quote.
 - **8.2.6.2.** In Ship It, the shipper may select to pay for packaging as part of the shipment cost.
- 8.3. A package-type drop-down list.
 - 8.3.1. The label will be: "I am using the following packaging:"
 - 8.3.2. The packaging types will be:
 - 8.3.2.1. Carrier Letter
 - **8.3.2.1.1.** For non-supported browsers, if Carrier Letter is selected, the length, width, and height dimensions fields will automatically be filled with the word "Letter".
 - 8.3.2.2. Carrier Box
 - **8.3.2.2.1.** For non-supported browsers, if Carrier Box is selected, the length, width, and height dimensions fields will automatically be filled with the word "Box".
 - 8.3.2.3. Carrier Pak
 - **8.3.2.3.1.** For non-supported browsers, if Carrier Pak is selected, the length, width, and height dimensions fields will automatically be filled with the word "Pak".
 - 8.3.2.4. Carrier Tube
 - **8.3.2.4.1.** For non-supported browsers, if Carrier Tube is selected, the length, width, and height dimensions fields will automatically be filled with the word "Tube".
 - 8.3.2.5. Other packaging
 - **8.3.2.5.1.** If Other Packaging is selected, the user will be required to enter length, width, and height dimensions.
 - 8.3.2.5.2. Measurement type drop-down list.
 - 8.3.2.5.2.1. Inches
 - 8.3.2.5.2.2. Feet
 - 8.3.2.5.2.3. Centimeters
 - 8.3.2.5.2.4. Meters
 - **8.3.2.5.2.5.** Default will be user preference.
 - 8.3.2.5.2.6. If user has not selected a preference, default will be inches.
 - **8.3.3.** When the user selects a package type from the drop down list, the appropriate package-type graphic will appear on the left under the field label.
 - **8.3.4.** Package dimension text boxes for length, width, and height.
 - **8.3.4.1.** For supported browsers, the length, width, and height fields will appear only when "other packaging" is selected.

- 8.3.4.2. Possible when the user has selected Cale Packaging, he will not be able to edit the text in the dimensions text box.
- 8.3.4.3. If Other Packaging is selected and an integer is not entered in any of the dimensions text boxes, the user will receive the error message: "Your package dimensions are invalid. Please enter numbers in each of the length, width, and height fields."
- **8.3.4.4.** The user's selection of dimensions will determine the options shown on the service options page and the rates and services shown in the rate grid.
- 8.3.4.5. The maximum dimension allowed will be 85 inches wide by 85 inches high by 15 feet long.
 - **8.3.4.5.1.** If the user enters dimensions too large for any supported Carrier, the user will receive an error message: "Your shipment dimensions exceed the maximum allowed."
- 8.3.5. If the user has selected Carrier Packaging, the maximum weight will be 150 pounds.
 - 8.3.5.1. If the user enters a weight of more than 150 pounds, he will receive the error message: "Your shipment weight exceeds the maximum for carrier-provided packaging. Please select Other Packaging and enter your item's dimensions.
- 8.3.6. A "packaging is irregular or is not standard" check box.
 - **8.3.6.1.** If the user selects this check box, the rate shown on the rate grid will include an Additional Handling charge, if applicable.
 - 8.3.6.2. If the user selects Carrier packaging and selects this check box, the user will receive the error message: "If your packaging is not standard, please select "Other Packaging" and enter the dimensions into the Length, Width, and Height fields."
- 8.4. Carrier Loss Protection
 - 8.4.1. A text box for entering the dollar amount of protection required.
 - 8.4.2. The label will read: "The value of the contents is:"
 - **8.4.3.** The cost of the declared value service option will be applied to each rate shown on the rate grid.
 - **8.4.4.** Standard validation for declared value will apply.
 - 8.4.4.1. If the user enters an amount disallowed for his package weight or dimensions, the user will receive the error message: "Your package's value exceeds the maximum allowed for your shipment. Please reduce the package value. For more information, click the Learn More button."
 - 8.4.5. iShip will support currency amounts other than U.S. dollars.
- 8.5. Package Reference Number
 - 8.5.1. A text box for entering the package-level reference number
 - 8.5.2. The label will read: "Package Reference No:"
 - **8.5.2.1.** This label is configurable by the Administrator
- 8.6. Hide/Show Advanced Package Options link
 - 8.6.1. When the user selects "Hide Advanced Package Options"
 - **8.6.1.1.** The advanced package service options will be hidden.
 - 8.6.1.2. The link will change to "Show Advanced Package Options"
 - 8.6.2. When the user selects "Show Advanced Package Options"
 - 8.6.2.1. The advanced package service options will be displayed.
 - 8.6.2.2. The link will change to "Hide Advanced Package Options"
 - 8.6.3. Default will be Show Advanced Package Options (link name defaults to "Hide Advanced Package Options")

•

Advanced Package O **Delivery Notification:** [Help] Verbal Confirmation This option can only be used with UPS Next Day Early AM. The confirmation call will be made to the phone number you enter in the phone number field in your return address. E-mail Notification E-mail notification of delivery requires an e-mail address on the return address page. **Delivery Confirmation** [<u>Help</u>] This option can only be used with USPS services. □ Cash only **COD Amount:** \$ I Service Options: □ Proof of Delivery This option can only be used with UPS services. Proof of Delivery responses are sent automatically after delivery. You may also require the recipient's signature to be included on the response. □ Adult Signature Required Call Tag [<u>Help</u>] This option can only be used with UPS Ground service. Merchandise Description: Certified Mail [Help] This option can only be used with USPS Priority Mail or Parcel Post.

Illustration 11: Advanced Package Options

- 9.1. COD Amount text box
 - 9.1.1. The label will read "COD Amount"
 - 9.1.2. If selected, the cost of COD will be applied to each rate shown on the rate grid.

COD, and mail insured for more than \$50.00.

This option can only be used with USPS Express Mail, Certified Mail,


- **9.1.3.** The COD option will only be available to packages with domestic destinations.
- **9.1.4.** COD will not be allowed if:
 - 9.1.4.1. Call Tag is selected.

Return Receipt

- 9.1.4.2. Delivery Without Signature is selected.
- 9.1.5. Standard validation for COD will apply.
 - 9.1.5.1. If the user enters an invalid amount or an amount greater than the maximum allowed COD amount, the user will receive an error message: "You have entered an invalid COD amount. Please enter a valid dollar amount. See Help for more information."
- **9.1.6.** iShip will support currency amounts other than U.S. dollars.
- 9.1.7. Selecting a COD amount will enable a Cash Only check box.
- 9.2. Proof of Delivery (UPS) check box
 - 9.2.1. Selecting this check box will disable all carriers except UPS.
 - 9.2.2. If selected, the cost of Proof of Delivery will be applied to each rate shown on the rate grid.
 - **9.2.3.** Selecting this check box for any package in the shipment will disable all non-UPS enabled service options for all additional packages in the shipment.
 - 9.2.3.1. If a user has previously selected a service option incompatible with UPS Proof of Delivery, the user will receive an error message: "Proof of Delivery is only allowed with UPS services. Please de-select non-UPS options and try again."

- 9.2.4. Description at below the check box will read: "This does can only be used with UPS services. Proof of Delivery responses are sent automatically after delivery. You may also require the recipient's signature to be included on the response."
- 9.2.5. Selecting Proof of Delivery will enable an Adult Signature Required check box.
 - 9.2.5.1. Proof of Delivery must be selected if Adult Signature Required is selected.
- 9.3. Call Tag (UPS) check box and text box
 - 9.3.1. Selecting this check box will disable all services except UPS Ground.
 - 9.3.2. The label for the text box will be "Merchandise Description"
 - **9.3.3.** Selecting this check box for any package in the shipment will disable all non-UPS enabled service options for all additional packages in the shipment.
 - 9.3.3.1. If a user has previously selected a service option incompatible with Call Tags, the user will receive an error message: "Call Tags are allowed only with UPS Ground service. Please de-select non-UPS options and try again."
 - **9.3.4.** When Call Tag is selected, the pickup/drop off location drop box will not be displayed on the shipment options page.
 - 9.3.5. The Call Tag option will only be available on single-package shipments.
 - 9.3.6. The Call Tag option will only be available for domestic packages.
 - 9.3.6.1. The Call Tag option will not be available if the origin or destination is Alaska or Hawaii.
 - 9.3.7. Descriptive text below the check box will read: "This option can only be used with UPS Ground service."
 - 9.3.8. The availability of the Call Tag service option will be an Administrator-configurable item.
- 9.4. Notification of Delivery check boxes
 - 9.4.1. Verbal Confirmation of Delivery (UPS) check box
 - 9.4.1.1. Selecting this check box will disable all services except UPS Early AM.
 - 9.4.1.2. Selecting this check box for any package in the shipment will disable all non-UPS enabled service options for all additional packages in the shipment.
 - 9.4.1.2.1. If a user has previously selected a service option incompatible with Verbal Confirmation of Delivery or Next Day Air Early AM, the user will receive an error message: "Verbal Confirmation of Delivery is allowed only with UPS Next Day Air Early AM. Please de-select non-UPS options and try again."
 - 9.4.1.3. This service option will not appear for packages with international destinations.
 - 9.4.1.4. Descriptive text below the check box will read: "This option can only be used with UPS Next Day Air Early AM. The confirmation call will be made to the phone number you enter in the phone number field in your return address."
 - 9.4.2. E-Mail Notification of Delivery check box
 - 9.4.2.1. Descriptive text will read: "E-mail notification of delivery requires an e-mail address on the return address page."
 - 9.4.3. Delivery Confirmation (USPS) check box
 - 9.4.3.1. Descriptive text will read: "When this option is selected, appropriate USPS Delivery Confirmation charges will be applied to all USPS services."
- 9.5. Certified Mail (USPS) check box
 - Selecting this check box will disable all services except USPS Priority Mail and Parcel Post.
 - 9.5.2. Selecting this check box for any package in the shipment will disable all non-USPS enabled service options for all additional packages in the shipment.
 - 9.5.2.1. If a user has previously selected a service option incompatible with Certified Mail, the user will receive an error message: "Certified Mail is a USPS service. Please de-select non-USPS options and try again."
 - 9.5.3. The Certified Mail option will only be available for domestic packages.

9.5.4. Description at below the check box will read: "This of Priority Major Parcel Post."



- 9.6. Return Receipt (USPS) check box
 - 9.6.1. Selecting this check box will disable all carriers except USPS.
 - 9.6.2. Selecting this check box for any package in the shipment will disable all non-USPS enabled service options for all additional packages in the shipment.
 - 9.6.2.1. If a user has previously selected a service option incompatible with Certified Mail, the user will receive an error message: "Return Receipt is a USPS service. Please de-select non-USPS options and try again."
 - 9.6.3. The Certified Mail option will only be available for domestic packages.
 - 9.6.4. Descriptive text below the check box will read: "This option can only be used with USPS Express Mail, Certified Mail, COD, and mail insured for more than \$50.00."
- 9.7. Registered mail

10. Shipping Options






Illustration 12: Shipping Options

10.1. Ship Date

- 10.1.1. The user will select a date from a drop down list.
 - 10.1.1.1. The drop down list will contain a list of the next seven calendar dates.
 - 10.1.1.1. If the time is earlier than the pickup deadline as defined in the user's preferences, user's local time, then the list will include the current date.
 - 10.1.1.1.2. If the time is earlier than the pickup deadline as defined in the user's preferences, user's local time, then the list will not include the current date.
 - 10.1.1.2. If the user has not set a pickup deadline in preferences, then the pickup deadline will be 5:00 PM.
- 10.1.2. The label will be "Ship Date"

10.1.3. The Def

vill be today's date.

10.2. Delivery Deadline

- 10.2.1. The user will select a date from a drop down list.
 - 10.2.1.1. The dropdown will contain 14 entries beginning with the Ship Date plus one to plus 13 days.
 - 10.2.1.2. If same day services are available, then the list will begin with the current date.
- 10.2.2. The label will be "Delivery Deadline:"
- 10.2.3. Default will be No Preference
- 10.2.4. The Delivery Deadline option will only be displayed if there is more than one available service for the shipment.
- 10.2.5. When a delivery deadline is selected, only services with delivery dates on or before that date will be displayed on the rate grid.
- 10.3. Guaranteed delivery
 - 10.3.1. Check box for guaranteed delivery.
 - 10.3.2. When guaranteed delivery is selected, only services with guaranteed delivery options will be displayed.
 - 10.3.3. The guaranteed delivery option will only be displayed if guaranteed services are available.
 - 10.3.4. The guaranteed delivery option will only be displayed if there is more than one service available for the shipment.
 - 10.3.5. The user's preference will be displayed by default.
 - 10.3.5.1. If the user has not defined a preference, No will be selected by default.
- 10.4. Deliver without Signature (FedEx) check box
 - 10.4.1. Selecting this check box will not disable any carriers or services.
 - 10.4.2. The option will appear for shipments sent to domestic destinations only.
 - 10.4.3. Descriptive text will read: "Checking this box authorizes FedEx to deliver your shipment without obtaining a signature."
- 10.5. Earliest Delivery Time (UPS) text box
 - 10.5.1. Entering a time in this field will disable all services except UPS Next Day Air Early AM.
 - 10.5.2. The time entered must be before 12:00 p.m.
 - 10.5.3. Selecting this check box for any package in the shipment will disable all non-UPS enabled service options for all additional packages in the shipment.
 - 10.5.3.1. If a user has previously selected a service option incompatible with Earliest Delivery Time or the UPS Next Day Air Early AM service, the user will receive an error message: "Earliest Delivery Time can only be used with UPS Next Day Air Early AM. Please de-select non-UPS service options and try again."
 - 10.5.4. Descriptive text below the check box will read: "This option can only be used with UPS Next Day Air Early AM. Time must be before 12:00 PM (Noon). Use of this option will void the delivery guarantee.
- 10.6. Documents Only check box
 - 10.6.1. This option will be available to shipments sent to International destinations only.
 - 10.6.2. The user's preference will be displayed by default.
 - 10.6.2.1. If the user has not defined a preference, the box will be unchecked by default.
- 10.7. Non-Dutiable check box
 - 10.7.1. This option will be available to shipments sent to International destinations only.
 - 10.7.2. The user's preference will be displayed by default.
 - 10.7.2.1. If the user has not defined a preference, the box will be unchecked by default.
- 10.8. Select Your Carriers
 - 10.8.1. Each supported Carrier that supports the weight, dimensions, and options entered by the user shall be represented by that Carrier's logo.

- the user has selected carrier preference only the Carriers selected in preferences shall be displayed.
 - 10.8.1.1.1. The Administrator's selection of Carriers shall override the user's selection.
- 10.8.1.2. If no preferred Carriers are available for the selected shipment, non-preferred Carriers will be displayed.
 - **10.8.1.2.1.** At no time shall Carriers disallowed by the Administrator be displayed.
- 10.8.2. The Carriers shall appear in the order determined by the Administrator.
 - 10.8.2.1. If no preference has been established, the Carriers shall appear in alphabetical order.
- 10.8.3. The logos shall be links to Carrier pitch pages.
- 10.8.4. The Select Your Carriers option will display only if more than one carrier is available for the shipment.
- 10.8.5. There will be a checkbox next to each Carrier name
 - 10.8.5.1. When the user checks a Carrier, that Carrier's services will be displayed in the rate grid.
 - 10.8.5.2. If the user's service options exclude all a Carrier's services, then the Carrier will not be displayed in the rate grid.
 - 10.8.5.3. All available Carriers will be selected by default.
- 10.8.6. At least one Carrier must be selected.
- 10.8.7. The descriptive text beneath the carrier logos shall reflect what rates the user will be displayed.
 - 10.8.7.1. For users without custom rates, the descriptive text underneath the carriers' logos shall read: "Note: Your shipping charges will be based on carriers' basic rates. If you have an account with custom rates, your actual shipping charges may be different than those shown."
 - 10.8.7.2. For user's with custom rates, the descriptive text will read: "Note: Your shipping charges will be based on <Account Name>'s contract rates."
- 10.9. Select Your Drop Off/Pickup Location
 - 10.9.1. An Origin ZIP code text box.
 - 10.9.1.1. The default will be the user's preference.
 - 10.9.1.2. If a user preference is not defined, the default will be the Ship From ZIP code.
 - 10.9.2. A site type drop down list (Required)
 - 10.9.2.1. If the user has selected drop off location preferences, the drop off location selected in preferences shall be displayed by default.
 - 10.9.2.2. If the user has not selected a drop off location in preferences, the default selection will be "(Select One)".
 - 10.9.2.3. When the user selects a location from the drop down list, that site type will be used to determine the rates and services shown on the rate grid for all Carriers.
 - 10.9.2.4. The Select your Drop Off/Pickup Location option will display only if more than one location is available for the shipment.
 - 10.9.2.5. The site type drop down lists will contain appropriate locations for the available Carriers:
 - 10.9.2.5.1. "A drop box or carrier self-service station"10.9.2.5.1.1. Available for small parcel carriers only.
 - 10.9.2.5.2. "A carrier-operated shipping counter"10.9.2.5.2.1. Available for small parcel carriers only.
 - 10.9.2.5.3. "My location by calling the carrier for pickup"10.9.2.5.3.1. Available for small parcel carriers only.

.9.2.5.4. "My location through schedul

10.9.2.5.4.1. Available for small parcel carriers only.

10.9.2.5.5. My local Mail Boxes, Etc. store

10.9.2.5.5.1. Available for UPS and FedEx only.

10.9.2.5.5.2. When MBE is selected, MBE Corporate Internet rates will be shown.

10.9.2.5.6. "My location by arranging for pickup"


10.9.2.5.6.1. Available for Yellow only

10.9.2.5.6.2. When this option is available, a note shall appear: "Click the Learn More button to find out more about arranging for pickup."

10.9.3. An Advanced link

- 10.9.3.1. When the user selects the Advanced link, the Advanced Locations page will appear.
- 10.9.3.2. When the user selects site types from the Advanced page and clicks on Save, the site type drop down list will read "Advanced Drop Off/Pickup Locations".
- **10.9.3.3.** When the user has selected Advanced site types, the site type selected for each Carrier will determine the rates and services shown in the rate grid for that Carrier.
 - **10.9.3.3.1.** The Advanced button and the associated notes will only appear if more than one carrier is available.

10.9.4. Drop Off Locator



Ilustration 13: Drop Off Locator

- 10.9.4.1. In supported browsers, the drop off locator will appear in a modal window.
- 10.9.4.2. Each drop off location type available for the current shipment will be displayed as a link on the page.
 - 10.9.4.2.1. Enterprise locations
 - 10.9.4.2.2. Drop box or carrier self-service stations
 - 10.9.4.2.3. Carrier-operated shipping counters
 - 10.9.4.2.4. Mail Boxes Etc. stores
- 10.9.4.3. When the user selects a link, the locations available for that drop off location type and area will be listed.
 - 10.9.4.3.1. The list will include all drop off locations with a ZIP code matching the first three digits of the origin ZIP code.
 - 10.9.4.3.2. The list will include a maximum of 20 drop off locations
 - 10.9.4.3.2.1. If more than 20 drop off locations match the query a next link will take the user to the next 20 drop off locations and and a back link will take the user to the previous 20 drop off locations.
 - 10.9.4.3.3. The list will include:
 - 10.9.4.3.3.1. Name of location
 - 10.9.4.3.3.2. Address of location
 - 10.9.4.3.3.3. Phone number of location



10.9.4.3.3.4. Drop off dead flocation

10.9.4.3.3.5. Carriers accepted at the location

10.9.4.3.3.6. Comments

10.9.4.4. Buttons

10.9.4.4.1. Close

- 10.9.4.5. The drop off locator will interact with mapping software to show the user the drop off location closest to him.
- 10.9.4.6. The drop off locator will integrate with rating, allowing the user to dynamically select a shipping location.

10.10.Pickup Options (freight only)

Flights of stairs the Item must be carried at pickup:

My location has a loading dock.

Pickup at my location requires an appointment.

If your location has characteristics which require additional labor, there may be an extra charge. Click the More button for more information.

<u>Help</u>

Illustration 14: Freight pickup options

- 10.10.1. Origin address city, state, zip.
 - 10.10.1.1. The State and ZIP will be hard coded based on the selected origin ZIP code.
 - 10.10.1.2. The City will be hard coded if there is one choice of city for the selected origin ZIP code.
 - 10.10.1.3. The City will be a drop-down list if there is more than one choice of city for the selected origin ZIP code.
 - 10.10.1.3.1. The default will be the user's origin city as defined in the user's address preferences.
 - 10.10.1.3.1.1. If the selected origin ZIP code does not match the user's city preference, the preference will be ignored.
 - 10.10.1.3.2. If the user does not have an origin city selected in preferences, the default will be "(Select One)".
- 10.10.2. Origin address business and residence radio buttons.
 - 10.10.2.1. The default will be the user's origin address business/residence selection as defined in the user's address preferences.
 - 10.10.2.2. If the user has not defined an origin address, the Business radio button will be selected by default.
- 10.10.3. Flight of stairs text box (required).
 - **10.10.3.1.** The default will be the origin address flights of stairs as defined in the user's address preferences.
 - 10.10.3.2. If the user has not defined flights of stairs in preferences, no entry will be made by default.
 - 10.10.3.3. The text box will accept integers between 0 and 99.
 - 10.10.3.4. If the pickup location is at the user's location and no entry is made into the flights of stairs text box, the user will receive the error message: "Please enter the number of flights of stairs the agent must carry your item. If your location has an elevator available large enough to hold your item, enter "0" here."
 - 10.10.3.5. When the flights of stairs entry is greater than "1" and pickup is at the user's location, rating shall include appropriate stair carry charges for all supported freight carriers.
- 10.10.4. Loading dock check box.

- 10.10.4 the default will be the loading dock selections defined in the user's address preferences.
- 10.10.4.2. If the user has not defined loading dock in preferences, the check box will be unselected by default.
- 10.10.4.3. When loading dock is selected, flights of stairs will be disabled.
 - 10.10.4.3.1. If the user has entered 1 or more flights of stairs, a message will be displayed "Flights of stairs must be 0. If you wish the carrier to deliver your shipment up or down stairs, you may not select "loading dock".
- 10.10.5. Appointment Required
 - 10.10.5.1. The field label shall be "Pickup at my location requires an appointment."
 - 10.10.5.2. The default will be the appointment required selection as defined in the user's address preferences
 - 10.10.5.3. If the user has not defined appointment required in preferences, the box will be checked by default.
- 10.10.6. If the "appointment required" check box is not selected, the "loading dock" check box is selected, the number of stairs is 0, and the address is a business, the Yellow specialized pickup charges will not be included in the rate.
- 10.10.7. The Pickup Options section will appear on the Shipping Options page only when the package's weight and/or dimensions meet or exceed the minimum rating requirements for supported freight carriers.

10.11.Delivery Options (freight only)

Flights of stairs the item must be carried at <u>delivery</u> :		
	My location has a loading dock.	
	Pickup at my location requires an appointment.	
	If your location has characteristics which require additional labor, there may be an extra charge. Click the More button for more information.	<u>Help</u>

Illustration 15: Freight delivery options

- 10.11.1. Flight of stairs text box (required).
 - 10.11.1.1. No entry will be made by default.
 - 10.11.1.2. The text box will accept integers between 0 and 99.
- 10.11.2. Loading dock check box.
 - 10.11.2.1. The check box will be unselected by default.
- 10.11.3. Appointment Required check box
 - 10.11.3.1. The field label shall be "Delivery to this location requires an appointment."
 - 10.11.3.2. The box will be checked by default.
- 10.11.4. If the "appointment required" check box is not selected, the "loading dock" check box is selected, the number of stairs is 0, and the address is a business, the Yellow specialized delivery charges will not be included in the rate.
- 10.11.5. The Delivery Options section will appear only when the package's weight and/or dimensions meet or exceed the minimum rating requirements for supported freight Carriers.

10.12. Handling Charges

Add labor or materials fees to my shipping charges and/or \$ if fixed amount

You will see the total of carrier shipping charges plus your handling charges.

Help

Illustration 16: Handling Charges

- 10.12.1. A text box for a percentage amount.
 - 10.12.1.1. The entered percentage will be applied to each rate shown on the rate grid when retail rates are displayed.
 - 10.12.1.2. The default will be the handling charge percentage as defined in the user's preferences.
 - 10.12.1.3. If the user has not defined a handling charge percentage, the box will be blank by default.
- 10.12.2. A text box for a fixed amount.
 - 10.12.2.1. The entered dollar amount will be added to each rate shown on the rate grid when retail rates are displayed.
 - 10.12.2.2. The default will be the handling charge fix amount as defined in the user's preferences.
 - 10.12.2.3. If the user has not defined a handling charge fixed amount, the box will be blank by default.
- 10.12.3. If the user enters both a percentage amount and a fixed amount, the percentage will be applied and the fixed amount will be added to the total.

11. Shipping Addresses









Illustration 17: Shipping Addresses

- 11.1. Return Address
 - 11.1.1. If the return address is being populated from the user's preferences:
 - 11.1.1.1. The return address shall be hard-coded.
 - 11.1.1.2. There will be a Change link.
 - 11.1.2.1. The availability of the ability to change the return address shall be an administrator configurable item.
 - 11.1.1.3. Selecting the Change link will take the user to a Change Return Address page.
 - 11.1.2. If insufficient return address information is stored in the user's preferences, the Change Return Address Page shall be displayed prior to the Shipping Addresses page.
 - 11.1.2.1. The "save this as my default return address" check box shall be checked by default.

11.1.3. Address mation displayed:



11.1.3.1.1. If the carrier requires a company name and no company name is entered, the Contact Name will be entered into the Company Name field in the database.

- 11.1.3.2. Company Name
- 11.1.3.3. Street (Address 1) (required)
- 11.1.3.4. Room/Floor (Address 2)
- 11.1.3.5. Department (Address 3)
- 11.1.3.6. City
- 11.1.3.7. State
- 11.1.3.8. ZIP Code (required)
- 11.1.3.9. Telephone (required)
- 11.1.3.10. Fax
- 11.1.3.11. E-mail address

11.2. Destination Address

- 11.2.1. Find in Address Book link (see Common Req. #4.8.1.4)
- 11.2.2. Save in Address Book check box
 - 11.2.2.1. Checking this box will save the address in the Address Book (see Common Req. #7.1.2.9).
- 11.2.3. Address Information collected:
 - 11.2.3.1. Address Nickname text box (see Common Req. #4.8.1.4)
 - 11.2.3.2. Contact Name (required)
 - 11.2.3.2.1. If the carrier requires a company name and no company name is entered, the Contact Name will be entered into the Company Name field in the database.
 - 11.2.3.3. Company Name
 - 11.2.3.4. Street (Address 1) (required)
 - 11.2.3.5. Room/Floor (Address 2)
 - 11.2.3.6. Department (Address 3)
 - 11.2.3.7. City (see Common Req. #4.7)
 - 11.2.3.8. State or Province (see Common Req. #4.7)
 - 11.2.3.9. ZIP or Postal Code (required)
 - 11.2.3.10. Telephone (required)
 - 11.2.3.11. Fax
 - 11.2.3.12. E-mail address

11.3. E-mail notification

11.3.1. Fields:

- 11.3.1.1. Two text boxes for names
- 11.3.1.2. Two text boxes for e-mail addresses
- 11.3.1.3. Memo box for message text.
- 11.3.2. If any e-mail address is included on the page, when the shipment is manifested, the "shipment has been sent" e-mail shall be sent to all e-mail addresses on this page.
- 11.4. Description of goods message box
 - 11.4.1. A Browse button shall allow the user to browse the enterprise's product database.
 - 11.4.1.1. The availability of this feature shall be configurable by the Administrator.
- 11.5. Shipment Reference number
 - 11.5.1. Shipment Reference No. text box

- 11.5.2. Shown for terprise and multi-user accounts only 11.5.3. The label will be configurable by the Administrator.
 - y .

- 12. Change Return Address
 - 12.1. Find in Address Book link (see Common Req. #4.8.1.4)
 - 12.2. Save in Address Book check box
 - **12.2.1.** Checking this box will save the address in the Address Book (see Common Req. #7.1.2.9).
 - 12.3. Make this my default return address check box
 - 12.3.1. If this box is checked, the address information entered shall be saved as the user's default return address in preferences.
 - 12.4. Address information collected:
 - 12.4.1. Contact Name (required)
 - 12.4.1.1. If the carrier requires a company name and no company name is entered, the Contact Name will be entered into the Company Name field in the database.
 - 12.4.2. Company Name
 - 12.4.3. Street (Address 1) (required)
 - 12.4.4. Room/Floor (Address 2)
 - 12.4.5. Department (Address 3)
 - 12.4.6. City
 - 12.4.7. State
 - 12.4.8. ZIP Code (required)
 - 12.4.9. Telephone (required)
 - 12.4.10. E-mail address

13. Payment






Illustration 18: Payment

- 13.1. The Payment page will be displayed when the user selects Print
- 13.2. Payment amount: Total charges
 - 13.2.1. Shipment amount will be displayed in red.
- 13.3. Warning: "Your account will be charged for the <total payment amount> when you select Finish."
- 13.4. If there is a choice of payment type, payment type drop down list:
 - 13.4.1. Select One
 - 13.4.2. Carrier account
 - 13.4.3. Credit Card
 - 13.4.4. Bill Collect
 - 13.4.5. Third Party Billing
- 13.5. If there is no choice of payment type, the payment type will display hard coded.
- 13.6. If payment is not allowed at the time of printing, this page will be skipped.
- 13.7. When the payment type is selected, the appropriate fields will display:
 - 13.7.1. Carrier account
 - 13.7.1.1. Carrier name
 - 13.7.1.2. Pickup deadline
 - 13.7.2. Credit Card
 - 13.7.2.1. First Name
 - 13.7.2.2. Last Name

- 13.7.2.3 redit card number
- 13.7.2.4. Credit card expiration date
- 13.7.2.5. Company Name
- 13.7.2.6. Street (Address 1)
- 13.7.2.7. Room/Floor (Address 2)
- 13.7.2.8. Department (Address 3)
- 13.7.2.9. City
- 13.7.2.10. State
- 13.7.2.11. ZIP Code
- 13.7.2.12. Telephone
- 13.7.2.13. E-mail address
- 13.7.2.14. A list of acceptable credit cards will be displayed on the page.
- 13.7.3. Bill Collect
 - 13.7.3.1. Carrier Account No.
- 13.7.4. Bill Third Party
 - 13.7.4.1. Carrier Account No.
 - 13.7.4.2. Contact Name
 - 13.7.4.3. Company Name
 - 13.7.4.4. Street (Address 1)
 - 13.7.4.5. Room/Floor (Address 2)
 - 13.7.4.6. Department (Address 3)
 - 13.7.4.7. City
 - 13.7.4.8. State
 - 13.7.4.9. ZIP Code
 - 13.7.4.10. Telephone
- 13.8. Drop off locator (see Common Req. # 4.8.1.10.9.4).
- 13.9. Text of instructions of what to do next
 - 13.9.1. TBD.
- 13.10.Buttons:
 - 13.10.1. Back
 - 13.10.2. Done
 - 13.10.3. Finish
 - 13.10.4. Cancel
- 14. Advanced Locations page
 - 14.1. The Advanced Locations page will be displayed when the user selects the Advanced Locations link from the Shipping Options page.
 - 14.2. Each selected by the user in the Carriers section of Preferences will include a site type drop down list.
 - 14.2.1. Each Carrier not selected by the user will appear with the words "(not selected") underneath it.
 - 14.2.2. Only Carriers available to the user and selected by the Administrator will appear in the list.
 - 14.2.3. The user will be required to select a drop off location type for each selected Carrier.
 - 14.3. Descriptive text: "If you will use the same Drop-Off/Pickup Option regardless of which carrier you select, click Close to return to the main Shipping Options page. Click Save to Save your selections and return to the main Shipping Options page."
 - 14.4. Buttons
 - 14.4.1. Save
 - 14.4.2. Close

4.8.2. Shipping Charges








Illustration 19: Shipping Charges and Delivery Times

- 1. The rate grid will display all available services by carrier.
- 2. The grid will display delivery dates across the top and carriers and services down the side.
 - 2.1. The rate for each service will appear in the cell where the appropriate delivery date and service intersect.
 - 2.2. Delivery date columns will be determined by the available services.
 - 2.3. If a service's delivery time spans dates, the highlight for the service will span delivery date columns.
- 3. The Price It and Ship It rate grids (Standard Grid) will display the days of the week and the dates of the expected delivery.
- The Sell It rate grid (Sell It Grid) will display number of days from shipment to delivery (Next Day, Second Day, etc.).
- 5. Radio buttons for Best Price and Fastest Delivery will control the appearance of the grid.
 - 5.1. The radio buttons will default to the user's preference.
 - 5.2. If the user has not selected a preference, the default selection will be Best Price.
 - 5.3. If Best Price is selected:
 - 5.3.1. When the carrier is rolled up, the best price for that carrier will display in the roll bar.

- 5.3.2. When the price for the price for the price for the price will be highlighted.
- 5.3.3. The best price for all displayed carriers will be distinctly highlighted.
- 5.4. If Fastest Delivery is selected:
 - 5.4.1. When the carrier is rolled up, the fastest service for that carrier will display in the roll bar.
 - 5.4.2. When the carrier is rolled down, the fastest service for that carrier will be highlighted.
 - 5.4.3. The fastest service for all displayed carriers will be distinctly highlighted.
- 6. Each carrier may be independently rolled up or rolled down by the user.
 - 6.1. When the carrier is rolled up:
 - 6.1.1. The selected service name will appear in the roll bar.
 - 6.1.2. The selected service price will appear in the appropriate cell in the rate grid.
 - 6.1.3. The selected service is either:
 - 6.1.3.1. The Carrier's Best Price or Fastest Delivery, depending on the setting of the Best Price/Fastest Delivery radio buttons, or
 - 6.1.3.2. If the user has clicked on a service for that carrier, that service will become the selected service for that Carrier.
 - 6.2. When the carrier is rolled down:
 - 6.2.1. The carrier name will appear on its own row above the list of services for that carrier.
 - 6.2.2. Each of the carrier's available services for the shipment will display on its own line.
 - 6.2.3. The delivery time for the service will display next to the name of the service.
 - 6.3. By default, the rate grid will display rolled up.
 - 6.3.1. The user's preferred carrier will always display rolled down.
- 7. iShip optimizer
 - 7.1. The optimized price will display with an iShip optimizer logo next to it.
 - 7.2. If Best Price is selected, the optimized price will be the overall best price on the rate grid.
 - 7.2.1. If two or more prices tie for Best Price, then the following rules will apply in the listed order:
 - 7.2.1.1. If one service is from the user's preferred carrier, the preferred carrier's service will win.
 - 7.2.1.2. If one service is faster, then the service with the fastest delivery time will win.
 - 7.2.1.3. If one service is guaranteed and the others are not, the guaranteed service will win.
 - 7.2.1.4. If one service has tracking and the others do not, the tracked service will win.
 - 7.2.1.5. If none of the above apply, all tied services will display the optimized icon.
 - 7.3. If Fastest Delivery is selected, the optimized price will be the overall fastest delivery on the rate grid.
 - 7.3.1. If two or more prices tie for Fastest Delivery, then the following rules will apply in the listed order:
 - 7.3.1.1. If one service is from the user's preferred carrier, the preferred carrier's service will win.
 - 7.3.1.2. If one service has a lower price, then the service with the lowest price will win.
 - 7.3.1.3. If one service is guaranteed and the others are not, the guaranteed service will win.
 - 7.3.1.4. If one service has tracking and the others do not, the tracked service will win.
 - 7.3.1.5. If none of the above apply, all tied services will display the optimized icon.
 - 7.4. The optimized price will be determined from the user's preferences.
- 8. Carrier information
 - 8.1. The carrier names on the rate grid will be links to Carrier pitch pages.
- Service information
 - 9.1. The service names on the rate grid will be links to the Carrier pitch pages.
 - 9.2. The display will jump to the information about the selected service.

O

Ö

Ų

ſŲ

Ļ

shown on the rate grid.

- 10.1. If a delivery deadline has been selected, a "show all dates" link will appear next to the last date
 - 10.1.1. Selecting this button will expand the rate grid to show all available delivery dates.
 - 10.1.2. The "show all dates" link will not be displayed on the Sell It Shipping Charges grid.

11. Disclaimers

- 11.1. Disclaimers will appear directly below the rate grid in a distinctive color.
- 11.2. When "Regular pickup from my location" is selected, the disclaimer shall read: "Rates shown are published rates for account holders. If you don't have a carrier account, your rates may be higher."
- 11.3. When no postal code is entered for an international destination that requires a postal code, a disclaimer shall be displayed. (See Common Req. #4.8.1.5.2.3.2)

12. Summary Information

- 12.1. Each section of summary information except for Charges will have a Change link.
 - 12.1.1. Pressing the change link will take the user to the appropriate edit page.
 - Shipment Info: The Prepare Your Shipping Estimate page, with the focus on the first origin address field.
 - Package Info: The Package Info page, with the focus on the package weight 12.1.1.2. field.
 - Shipping Options: The Shipping Options page, with the focus on the Ship Date 12.1.1.3.

12.2. Shipment Charges:

		a seeding photon would be seen with the seed of the se		
Shipping Charges:	Service	UPS Ground	\$ 5.55	Show Retail Rates
	Service Options:	10% Handling Fee	\$.56	
	Loss Protection:	Protection for \$150	\$.46	
	Total:		\$ 6.57	
₩. }	4			

Illustration 20: Shipping Charges

- 12.2.1. Service, name of service, cost of service
- 12.2.2. Service options, cost of service options
- 12.2.3. Total charges, total cost of service and options
- 12.2.4. Link to Retail or Standard Rates
 - 12.2.4.1. The link will only appear when:
 - 12.2.4.1.1. The user has retail rates available and/or
 - 12.2.4.1.2. The user has selected handling charges.
 - 12.2.4.1.3. The link will never appear on the Buyer's Sell It page.
 - 12.2.4.2. Standard rates display the prices the user will pay for services.
 - 12.2.4.3. Retail rates display the prices the user's customer will pay for services.
 - If the user's account has retail rates available, those rates will be displayed when retail rates are selected.
 - If the user has selected handling charges, the handling charges 12.2.4.3.2. will be added to the rates.
 - 12.2.4.4. If Standard rates are currently being displayed, the link will be to retail rates.
 - 12.2.4.5. If Retail rates are currently being displayed, the link will be to standard rates.
 - 12.2.4.6. Price It and Ship It will default to Standard Rates.
 - 12.2.4.7. Sell It will default to Retail Rates.





Shipment Info: [Change]

No. of Packages: Origin:

iShip.com

Bellevue, WA 98006

Destination:

The Moon's Prosser, WA 99350 United States

Illustration 21: Summary of Shipment Info

12.3.1. Number of packages

12.3.2. Origin Address:

12.3.2.1. Origin Nickname, Contact Name, or Company Name, if available.

12.3.2.1.1. In Ship It, this field will be a link to complete origin address information for the shipment.

12.3.2.2. Origin City, State, ZIP

12.3.3. Destination Address

12.3.3.1. Destination Nickname, Contact Name, or Company Name, if available.

12.3.3.1.1. In Ship It, this field will be a link to complete destination address information for the shipment.

12.3.3.2. Destination City, if known

12.3.3.3. Destination State or Province, if known

12.3.3.4. Destination ZIP or Postal Code, if known

12.3.3.5. Destination Country

12.4. Package Info

12.4.1. If there is one package in the shipment or if all packages in the shipment are the same:

Shipment Info: [Change]

No. of Packages: Origin:

1 <u>iShip.com</u>

Bellevue, WA 98006

Destination:

The Moon's

Prosser, VVA 99350 United States

lustration 22: Summary of Package Info (single package)

12.4.1.1. Weight

12.4.1.2. Packaging Type

12.4.1.3. Dimensions

12.4.1.4. Loss Protection amount, if available

12.4.1.4.1. Loss protection is only included in Buyer's Rate Grid in Sell It when Buyer's selection of loss protection amount is greater to or equal to Seller's selection of loss protection amount.

12.4.1.5. COD Amount, if available

12.4.1.6. Proof of Delivery, if available

12.4.1.7. Call Tag, if available

12.4.1.8. Delivery Notification, if available

12.4.1.8.1. Verbal Confirmation

12.4.1.8.2. USPS Del. Confirmation

12.4.1.8.3. E-Mail Notification

12.4.1.9. Certified Mail, if available

12.4.1.10. Return Receipt, if available

12.4.1.11. Registered Mail, if available

 re than one package in the shipment ar

packages in the shipment are

Package Info:

Click on the weight link to view the package's summary.

Package #1: Package #2:

Package #3:

<u>Letter</u> 2 lb. 2 oz.

<u>Letter</u>


Package #4: Package #5: <u>Letter</u> 2 lb.

Illustration 23: Summary of Package Info (multiple packages)

12.4.2.1. The Nickname of each package will be displayed as a link.

12.4.2.1.1. If the nickname is not available, the weight will be displayed

12.4.2.2. In supported browsers, the package link will take the user to a pop-up window displaying the information for that package.



٦.

IJ

- 12.4.2.2.1. Links to all other packages in the shipment
- 12.4.2.2.2. A Change button

12.4.2.2.2.1. The Change button will take the user to the package info page for the selected package.

- 12.4.2.2.3. A Close button
- 12.4.2.2.4. Weight
- 12.4.2.2.5. Packaging Type
- 12.4.2.2.6. Dimensions
- 12.4.2.2.7. Loss Protection amount, if available

12.4.2.2.7.1. Loss protection is only included in Buyer's Rate Grid in Sell It when Buyer's selection of loss protection amount is greater to or equal to Seller's selection of loss protection amount.

- 12.4.2.2.8. COD Amount, if available
- 12.4.2.2.9. Proof of Delivery, if available
- 12.4.2.2.10. Delivery Notification, if available

12.4.2.2.10.1. Verbal Confirmation

12.4.2.2.10.2. USPS Del. Confirmation

12.4.2.2.10.3. E-Mail Notification

- 12.4.2.2.11. Certified Mail, if available
- 12.4.2.2.12. Return Receipt, if available
- 12.4.2.2.13. Registered Mail, if available
- 12.4.2.2.14. Service Charge



4.2.2.15. Service Options Charge



12.4.2.2.16. Total Charges

12.5. Shipping Options (not included in Buyer's Rate Grid in Sell It application)

Shipping Options:

Drop Off/Pickup:

My location

Pickup Options:

Delivery Options: Residence

[<u>Change</u>]

Handling Charges: 10% Ship Date: THU

THUR - 11/11/99

Illustration 25: Shipping Options

- 12.5.1. Ship Date
- 12.5.2. Delivery Deadline, if selected
- 12.5.3. Guaranteed Delivery, if selected
- 12.5.4. Delivery without signature, if selected
- 12.5.5. Earliest Delivery Times, if selected
- 12.5.6. Drop off/Pickup selection, if selected
- 12.5.7. Pickup Options, if selected
 - 12.5.7.1. Origin address business/residence selection
 - 12.5.7.2. Number of flights of stairs
 - 12.5.7.3. Loading dock availability
 - 12.5.7.4. Appointment required selection
- 12.5.8. Delivery options
 - 12.5.8.1. Origin address business/residence selection
 - 12.5.8.2. Number of flights of stairs
 - 12.5.8.3. Loading dock availability
 - 12.5.8.4. Appointment required selection
- 12.5.9. Handling charges, when available
 - 12.5.9.1. Percentage amount
 - 12.5.9.2. Fixed amount
- 13. Inactive carriers link
 - 13.1. When any carrier selected by the user in preferences or in shipping options is not available, a link shall be displayed: "Why are some carriers not available?"
 - 13.2. This link shall take the user to an Inactive Carriers FAQ.
- 14. Inactive services link
 - 14.1. When any service for an available carrier is not available, a link shall be displayed: "Why are some services not available?"
 - 14.2. This link shall take the user to an Inactive Services FAQ.
- 15. E-Mail this Quote link
 - 15.1. When selected, the user will be taken to an E-Mail This Quote form.
 - **15.1.1.** If no service is selected on the rate grid, an error message will appear: "Please click on a rate on the rate grid. The selected service will be used to generate your quote."
 - 15.2. The form will include:
 - 15.2.1. Text: "You can e-mail this shipping quote to up to three e-mail recipients. Fill in the information below and then click on Submit."
 - 15.2.2. Text box for Name (required)
 - 15.2.3. Text box for e-mail address (required)
 - 15.2.3.1. Standard e-mail address validation shall apply.
 - 15.2.4. Two additional text boxes for Name
 - 15.2.5. Two additional text boxes for e-mail address
 - 15.2.5.1. Standard e-mail address validation shall apply

15.2.6. Text box Message

15.2.7. Quote

- 15.2.7.1. Origin City, State, ZIP
- 15.2.7.2. Destination City, if known
- 15.2.7.3. Destination State or Province, if known
- 15.2.7.4. Destination ZIP or Postal Code, if known
- 15.2.7.5. Destination Country
- 15.2.7.6. Number of packages
- 15.2.7.7. Service, name of service, cost of service
- 15.2.7.8. Service options, cost of service options
- 15.2.7.9. Total charges, total cost of service and options


15.2.8. Send button

- 15.2.8.1. If no name or e-mail address is entered, an error message will appear: "Please enter a name and e-mail address. The Shipping Quote and your Message will be sent to the e-mail addresses you specify.
- 15.2.8.2. When Send is selected:
 - 15.2.8.2.1. The Quote and Message text will be sent to the designated e-mail addresses.
 - 15.2.8.2.2. An alert box will appear with the text: "Your Quote has been sent".
 - 15.2.8.2.2.1. The alert box will include an "OK" button.
 - 15.2.8.2.2.2. When OK is pressed, the user will be returned to the Shipping Charges page.

15.2.9. Close button

4.9. LIST BEHAVIOR

- 1. Lists will show a configurable number of rows (chunk) on one page.
 - 1.1. Whenever a user has as many or more than the chunk size in his list, a complete chunk will be displayed on the page.
 - 1.2. If more rows are available than the chunk size, links to the rest of the rows will appear.
 - 1.2.1. If the list being displayed does not begin with the first row, a Previous link will be displayed.
 - 1.2.1.1. Selecting the Previous link will take the user to a list beginning with the chunk prior to the current first displayed address.
 - 1.2.1.2. If fewer than the chunk size are available when the user clicks Previous, the first chunk will be displayed.
 - 1.2.1.3. If no earlier rows are available when the user clicks Previous, an alert box will be displayed: "You are at the beginning of your <name of dialog>."
 - 1.2.2. If the list being displayed does not end with the last row, a Next link will be displayed.
 - 1.2.2.1. Selecting the Next link will take the user to a list of rows beginning with the chunk after the current last displayed address.
 - 1.2.2.2. If fewer than the chunk size are available when the user clicks Next, the last chunk will be displayed.
 - 1.2.2.3. If no later rows are available when the user clicks Next, an alert box will be displayed: "You are at the end of your <name of dialog>."
- 2. The closest match will appear at the top of the list as a highlighted entry.



3. Rows greater than the best match will be displayed up to the chunk size.

5. Registration

5.1. REGISTRATION

5.1.1. General

- 1. The registration pages will have the following buttons, each of which will follow common button behavior.
 - 1.1. Next
 - 1.2. Back
 - 1.3. Cancel
 - 1.4. Reset

5.1.2. Requirements






Illustration 27: Registration requirements

- 1. When the user selects Register, the user will be taken to the Requirements page.
- 2. Buttons:
 - 2.1. Back

- 2.2. Next
- 2.3. Cancel

5.1.3. Address Information

 When the user selects Next from the Requirements page, the user will be taken to the Address Information form.






Illustration 28: Registration Address

- 1.1. Registration will not be available to Enterprise customers.
 - 1.1.1. Enterprise end users will have user names and passwords assigned to them by the Enterprise administrator.
 - 1.1.2. Enterprise customers will be assigned a user name separate from their e-mail address.
 - 1.1.2.1. User names must be unique within the enterprise domain.
- 1.2. The user will be able to select Register from:
 - 1.2.1. The Corporate Home page.
 - 1.2.2. The Logon page.
- 2. User will receive notification that we support U.S. origin shipping only.
 - 2.1. Only users with U.S. domestic addresses may register.
- 3. The user will be prompted to enter the following information:




- 3.1.1. Contact Name (required)
- 3.1.2. E-Mail Address (required)
 - 3.1.2.1. Only one account per e-mail address will be allowed.
 - 3.1.2.2. If a user enters an e-mail address that is already in the iShip system, an error message will be displayed: "This e-mail address already has an iShip account. Please use another e-mail address or click on Password Recovery to have a new password e-mailed to you."

3.2. Address

- 3.2.1. Company Name
- 3.2.2. Street (Address 1)
- 3.2.3. Room/Floor (Address 2)
- 3.2.4. Department (Address 3)
- 3.2.5. City (See Common Reg.#4.7)
- 3.2.6. State (See Common Req.# 4.7)
- 3.2.7. Look up ZIP Code link (see Common Req. # 4.8.1.5.3)
- 3.2.8. ZIP Code (required)
- 3.2.9. Look up City, State link (see Common Req. # 4.8.1.5.4)
- 3.2.10. Telephone
- 4. When the user clicks Continue from the Address Information form, the user will be taken to the More Information form.

5.1.4. More Information






- - Password Recovery Phrase
 1.1. The user will be prompted to enter a password recovery question.
 - 1.2. The user will be prompted to enter an answer to the password recovery question.
 - 2. Survey questions
 - 2.1. The user will be requested to answer four marketing survey questions (TBD).
 - 2.1.1. These fields will not be required.
 - 2.2. The questions and potential answers should be configurable.
 - 2.2.1. Allowable answer types should be:
 - 2.2.1.1. Drop down lists
 - 2.2.1.2. Radio buttons
 - 3. The following check boxes will be available:
 - 3.1. Receive shipping information updates.
 - 3.1.1. Default is checked.

- 3.2. Receive shipping cations via e-mail.
 - 3.2.1. Default is checked.
- 3.3. Remember my name and password for easy logon.
 - 3.3.1. This selection will not be available for Enterprise products.
 - 3.3.2. Default is unchecked.
- The page will include a link to the iShip Terms and Conditions.
- 5. Carrier account information
 - 5.1. A check box will exist for each supported Carrier.
 - 5.1.1. The carrier's logos will be placed next to the check boxes.
 - 5.1.2. The carrier's logos will link to a Carrier pitch page.
 - **5.2.** The check box selections will not appear for Enterprise accounts when carriers have already been registered for that account.
 - **5.2.1.** Only the Enterprise administrator will be permitted to register a carrier account for the Enterprise.
 - 5.3. No carriers will be selected by default.
- 6. When the user clicks Next from the More Information form, the user will be taken to Carrier Account Information page(s) for each carrier the user selected.
- 7. If the user selects no carriers, the user will be registered and sent to the Registration Complete page.

5.1.5. Carrier Account In Phation





£4

- For each supported carrier that the user selects on the More Information page, the user will be presented in sequence with a carrier account registration form, which includes:
 - 1.1. Carrier account number
 - 1.2. Carrier Account address Information
 - 1.2.1. Address Information will be pre-populated with user information.
 - 1.2.2. Address information fields will be required depending on the requirements of each Carrier
 - 1.2.2.1. Contact name
 - 1.2.2.2. Company name
 - 1.2.2.3. Street (Address 1)
 - 1.2.2.4. Room/Floor (Address 2)
 - 1.2.2.5. Department (Address 3)
 - 1.2.2.6. City
 - 1.2.2.7. State
 - 1.2.2.8. ZIP Code
 - 1.2.2.9. Telephone
 - 1.3. Scheduled pickup time

- 1.3.1. Drop do st for hour
 - 1.3.1.1. (Select One) will be the default.
 - 1.3.1.2. Drop down list will contain the numbers 1 through 12
- 1.3.2. Drop down list for minutes
 - 1.3.2.1. (Select One) will be the default.
 - 1.3.2.2. Drop down list will contain:
 - 1.3.2.2.1. 00
 - 1.3.2.2.2. 15
 - 1.3.2.2.3. 30
 - 1.3.2.2.4. 45
- 1.3.3. AM and PM radio buttons
 - 1.3.3.1. The PM radio button will be selected by default.
- 1.4. Carrier License Agreement form
- 1.5. The Next button will be replaced with an "I Agree" button.
 - 1.5.1. When the user selects "I Agree," for each Carrier he selected, he will be registered and sent to the Registration Complete page.

5.1.6. Registration Complete




Illustration 31: Registration Complete

- Once the user has completed registration requirements:
 - 1.1. A password will be generated for the user.

- 1.1.1. Generate asswords shall be easily understandable ds and phrases.
- 1.2. The user's information shall be stored in the database.
- 1.3. The user will be displayed the registration complete page. The registration complete page will include:
 - 1.3.1. The user's name.
 - 1.3.2. The user's logon name (Enterprise and multi-user accounts only).
 - 1.3.3. The user's e-mail address.
 - 1.3.4. The user's address information.
 - 1.3.5. The user's password recovery question and answer.
 - 1.3.6. The user's selected carriers.
 - 1.3.7. The user's carrier account information for each carrier.
 - 1.3.8. Instructions on how to log in and use the service.
 - 1.3.8.1. The instructions will include a notice that the user's password and confirmation code are being e-mailed to the user's e-mail address.
 - 1.3.8.2. Instructions on what the user should do if his e-mail address is incorrect or he does not receive the confirmation e-mail.
 - 1.3.9. A Done button
 - 1.3.9.1. The Done button will observe standard "Done" behavior.
 - 1.3.9.2. The user will not automatically be logged on when registration is complete.
- 1.4. The user will be sent a confirmation e-mail to the registered e-mail address. The e-mail will contain:
 - 1.4.1. The user's name.
 - 1.4.2. The user's logon name (Enterprise and multi-user accounts only).
 - 1.4.3. The user's e-mail address.
 - 1.4.4. The user's password in clear text.
 - 1.4.4.1. Passwords shall be easily understandable words and phrases.
 - 1.4.4.2. The e-mail will include instructions on how to change the password.
 - 1.4.5. The user's address information.
 - 1.4.6. The user's carrier account information.
 - 1.4.6.1. Carrier account information will not be provided for Enterprise and multi-user accounts.
 - 1.4.7. A link to the logon page of iShip.com.

5.1.7. Affiliate Registration

- 1. If a user registers from an affiliate site, the user's affiliate user name and password will be used by iShip.com and shall become the user's iShip.com user name and password.
 - 1.1. The user's account information shall include the affiliate from which he registered.
 - 1.2. The user will be required to agree that the information he provides on the affiliate site will be sent to iShip.com.

6. Home

6.1. LOGON






Illustration 32: Log On

- 1. When the user selects Log On, the Log On page will be displayed. The Log On page will include:
 - 1.1. User Name/E-mail Address field (required)
 - 1.2. Password (required)
 - 1.3. Check box "Remember my user name and password" (sticky logon).
 - 1.3.1. When selected, the user name and password will automatically be filled in.
 - 1.3.2. The availability of this option shall be configurable by the Administrator.
 - 1.4. Link to Password Recovery
 - 1.5. Link to Registration
 - 1.6. Link to Help
 - 1.7. Buttons
 - 1.7.1. Next
 - 1.7.2. Cancel
- 2. The first time a user successfully logs on, a message will be displayed: "Please set your preferences and change your password by clicking on Preferences under the My iShip tab."

6.1.2. Log Out

- 1. When selecting "Log Out" the user will receive an alert box: "Are you sure you want to log out?"
 - 1.1. Buttons
 - 1.1.1. OK
 - 1.1.2. Cancel
 - 1.2. "Don't show this message again" check box.
 - 1.2.1. When selected, the Show Log Off Message preference will be set to No.

CONFIDENTIAL

- 2. The user will be sent to the URL defined by the affiliate as the Return on Log Out page.
 - 2.1. If no return on Log Out page has been defined, the user will be sent to the affiliate page from which he entered the site.

ū

- 2.2. If we are unable to the user to the referring page, when the er clicks on Log Out, the user will be returned to www.iship.com.
- 3. If the user's session times out and he is logged out, when the user attempts an action, an alert dialog will be displayed: "Your session has timed out. Please log in again."
 - 3.1. After clearing the dialog, the user will be taken to the Log On screen.

6.2. UNIFIED LOGON

- 1. When a registered user is logged on to a secure area of an affiliate with unified logon privileges:
 - 1.1. The user's logon credentials will be accepted from the affiliate.
 - 1.2. The user will be logged in without seeing a Log On page.
 - 1.3. The user will be sent to the requested logged on page.
 - 1.3.1. If the user selects Shipping, the user will be sent to the first page of Ship It.
 - 1.3.2. If the user selects Pricing, the user will be sent to the first page of Price It.
 - 1.3.3. If the user selects Selling, the user will be sent to the first page of Sell It.
 - 1.3.4. If the user selects Tracking, the user will be sent to the first page of Track It.
 - 1.3.5. If the user selects none of these, the user will be sent to the My iShip Welcome page.

6.3. PASSWORD RECOVERY

- When the user selects password recovery from the logon page, the user will be presented with a password recovery page.
 - 1.1. The user will be prompted to enter his user name or e-mail address.




Illustration 33: Password Recovery

- 1.1.1. The single field will accept either a user name or an e-mail address.
- 1.1.2. If the user name or e-mail address is not found, an error message will be displayed: "We are unable to find that user in the iShip.com system. Please contact iShip.com customer support for help recovering your password."
- 1.1.3. Buttons
 - 1.1.3.1. Next
 - 1.1.3.2. Cancel
 - 1.1.3.2.1. The Cancel button shall return the user to the logon screen.
- 1.2. The user will be displayed the password recovery question associated with that e-mail address.






Illustration 34: Password Recovery

ŧΩ

O

- 1.2.1. The user will be prompted to answer the password recovery question.
- 1.2.2. If the user correctly responds to the password recovery question, a confirmation page will be displayed:




Illustration 35: Password Recovery (success)

- 1.2.2.1. Text: "If you continue, we will generate a new password for your account. Your new password will be e-mailed to your registered e-mail account and your current password will no longer work."
- 1.2.2.2. If the user selects Next, a new password will be generated for the account and the user name, e-mail address, and new password will be e-mailed to the registered e-mail address.

1.2.3. If the use displayed:

brrectly responds to the password reco

question, an error page will be






Illustration 36: Password Recovery (Failure)

- **1.2.3.1.** Text: "We're sorry, your answer is incorrect. Please try again or contact customer support for help."
- 1.2.3.2. Link to customer support.
- 1.2.3.3. Password recovery question prompt.
- **1.2.3.4.** Prompt for answer to the password recovery question.
- **1.2.4.** Buttons
 - 1.2.4.1. Next
 - 1.2.4.2. Cancel
 - 1.2.4.2.1. The Cancel button shall return the user to the logon screen.

7. My iShip

7.1.1. Welcome

- 1. The My iShip navigation bar will include:
 - 1.1. Welcome
 - 1.2. Address Book
 - 1.3. Saved Packages
 - 1.4. Setup Wizard
 - 1.5. Shipping Preferences
 - 1.6. Account Preferences
 - 1.7. Payment Preferences
 - 1.8. QuickPrice
 - 1.8.1. The availability of this feature will be configurable by the Administrator.
 - 1.9. QuickTrack
 - 1.9.1. The availability of this feature will be configurable by the Administrator.
- 2. When a user successfully logs on to iShip.com, he will be presented with a welcome page, which will include:





Illustration 37: My iShip Welcome page

- 2.1. A summary of the last five outbound shipments the user sent.
 - 2.1.1. Each row will be a link to that shipment in outbound packages history
- 2.2. A summary of the last five inbound packages sent to the user (see Req. #11.1.2.3.4).
 - 2.2.1. Inbound packages will include:

- 2.2.1.1. RISK: Packages sent by other iShip us
- 2.2.1.2. Packages manually entered into the inbound tracking log.
- 2.2.2. Each package will be a link to that package in inbound packages history
- 2.3. A summary of all pending packages saved during Price It, Sell It, and Ship It
 - 2.3.1. Each package will be a link to that package in pending packages history
- 2.4. Privileged users will also see:
 - 2.4.1. AT RISK: End of Day status
 - 2.4.1.1. Number of packages in current manifest
 - 2.4.1.2. Link to End of Day functionality
 - 2.4.2. Link to the Administrative client
- 2.5. An Update Now button
 - 2.5.1. When selected, the statistics will be updated.
- 2.6. A marketing story or update on shipping conditions to be provided by the product manager.
 - 2.6.1. All stories provided may be directed to the user's specific Enterprise or affiliate.
 - 2.6.2. The text of the story should be configurable by an iShip privileged user.
 - 2.6.3. The configurable area will be the upper right-hand section (above the shipment summaries) and the bottom left segment (above the carrier logos).
 - 2.6.4. Initial content of this area is TBD.
- 2.7. A message from the Enterprise Administrator
 - 2.7.1. The text of the story should be configurable by an Enterprise privileged user.
 - 2.7.2. This feature is available to Enterprise customers only.
 - 2.7.3. The configurable area will be the upper left section below the My iShip title and shall consist of three-quarters of the column.
 - 2.7.4. Initial content of this area is TBD.
- 3. Support for single user holding multiple accounts
 - 3.1. User will be displayed a list of accounts he owns on the My iShip page
 - 3.2. Selecting an account will change all information displayed to that account

7.1.2. Address Book






- Illustration 38: Address Book List View
 - 1. The Address Book will hold a variable number of user addresses.
 - 1.1. The number of available addresses will be configurable by account type.
 - 2. Users will have access to the Select Address view from logged on versions of Ship It, Price It, and Sell It.
 - 3. Users will have access to multiple address books.
 - 3.1. Personal
 - 3.2. Company
 - 3.2.1. The availability of this feature shall be configurable by the Administrator.
 - 3.2.2. When the Company Address book is selected, the user will be taken to an Enterprise-defined user interface.
 - 3.3. Shared
 - 3.4. Local
 - 4. The Address Book shall contain the following fields:
 - 4.1. Contact Name (required)
 - 4.2. Nickname
 - 4.2.1. If no entry is made, the nickname field shall default to the entry in the Contact Name field.
 - 4.2.2. Nicknames must be unique for the user.
 - 4.3. Company Name
 - 4.4. Street (Address 1) (required)
 - 4.5. Room/Floor (Address 2)
 - 4.6. Department (Address 3)
 - 4.7. Country (required)
 - 4.8. City
 - 4.9. State or Province

- 4.10. ZIP or Postal Co equired)
- 4.11. E-Mail Address
- 4.12. Telephone
- 4.13. Business/Residence radio buttons
- 4.14. Flights of stairs
- 4.15. Loading dock
- 4.16. Appointment required
- 5. The Address Book will conform to Common List behaviors (see Common Req. #4.9).
- 6. Addresses in the Address Book will be accessible by alphanumeric links.
 - 6.1. Addresses will be sorted and displayed alphabetically by Nickname
 - **6.1.1.** Nicknames beginning with numbers or other non-alphabetic characters shall be displayed in numeric order before nicknames beginning with "A".
 - 6.1.2. The non-alphabetic characters shall be represented by a "1-2-3" link.
- 7. The Address Book view will be available when the user selects the Address Book application.
 - 7.1. Address List view
 - 7.1.1. Nickname
 - 7.1.2. Contact Name
 - 7.1.3. Company Name
 - 7.1.4. Country
 - 7.1.5. City
 - 7.1.6. State or Province
 - 7.1.7. ZIP or Postal Code
 - 7.1.8. Buttons
 - 7.1.8.1. Edit
 - 7.1.8.1.1. Edit will take the user to the Add/Edit Address view for that address
 - 7.1.8.2. Delete
 - 7.1.8.3. Shipping History
 - 7.1.8.3.1. The user will be taken to Track It, Outbound Tracking Log.
 - 7.1.8.3.2. The view will filter on Ship To <nickname> of the listed contact.
 - 7.2. Add/Edit Address view





ijlustration 39: Address Book Edit View

- 7.2.1. Contact Name (required)
- 7.2.2. Nickname
 - 7.2.2.1. If no entry is made, the nickname field shall default to the entry in the Contact Name field.
 - 7.2.2.2. Nicknames must be unique for the user.
- 7.2.3. Company Name
- 7.2.4. Street (Address 1)
- 7.2.5. Room/Floor (Address 2)
- 7.2.6. Department (Address 3)
- **7.2.7.** Country
- 7.2.8. City
- 7.2.9. State or Province
- 7.2.10. Look up ZIP Code link (see Common Req. # 4.8.1.5.3)
- 7.2.11. ZIP or Postal Code
- 7.2.12. Look up City, State link (see Common Reg. # 4.8.1.5.4)
- 7.2.13. E-Mail Address
- 7.2.14. Telephone
- 7.2.15. Business/Residence radio buttons
- 7.2.16. Flights of stairs
- 7.2.17. Loading dock
- 7.2.18. Appointment required
- 7.2.19. Location drop down list

- 7.2.19.1. en the Location field is selected, a list dusplayed.
- ilable Locations will be
- 7.2.19.2. When a Location is selected, all populated Location fields will be propagated to the current Address.
- 7.2.20. Buttons
 - 7.2.20.1. Save
 - 7.2.20.1.1. After the user Adds or Edits an Address, he should be returned to the Address Book list view.
 - **7.2.20.1.1.1.** The newly created or modified address should be displayed as the first entry in the list.
 - 7.2.20.2. Cancel

7.3. Location






Illustration 40: Locations List View

- 7.3.1. Location Name (required)
- 7.3.2. Company Name
- 7.3.3. Street (Address 1)
- 7.3.4. Room/Floor (Address 2)
- 7.3.5. Department (Address 3)
- 7.3.6. Country
- 7.3.7. City
- 7.3.8. State or Province
- 7.3.9. Look up ZIP Code link (see Common Reg. # 4.8.1.5.3)
- 7.3.10. ZIP or Postal Code
- 7.3.11. Look up City, State link (see Common Req. # 4.8.1.5.4)
- 7.3.12. E-Mail Address
- 7.3.13. Telephone
- 7.3.14. Business/Residence radio buttons
- 7.3.15. Buttons

7.3.15.1 ve 7.3.15.2. Cancel



8. The Select Address View will be available when the user selects the Address Book from within Price It, Ship It, or Sell It.






Illustration 41: Address Book Select View

- 8.1. Nickname
- 8.2. Contact Name
- 8.3. Company Name
- 8.4. City

TLI

- 8.5. State or Province
- 8.6. ZIP or Postal Code
- 8.7. Country
- 8.8. Each address will have a Select button
 - 8.8.1. When Select is pressed, all address fields in the saved address will cascade to the address fields in the application.
- 9. When a user attempts to add an address to the Address Book, either through the Add Address view or through Ship It, if the nickname already exists, an alert will appear "An address with this nickname already exists in your Address Book. Do you want to override the existing address?"
 - 9.1. Yes: The existing Address will be overwritten with the new address.
 - 9.2. No: The user will be returned to the nickname field.
- 10. The Address Book shall include a Quick Ship feature.
 - 10.1. Quick Ship fields will include:
 - 10.1.1. A link to an inventory item.
 - 10.1.2. A preferred service.
 - 10.1.3. Preferred service options.

N

ļЬ

- 10.2. Selecting Quick from any address will allow the user to user without further selections.
- he selected item to the selected

- 11. The Address Book shall allow defined Locations.
 - 11.1. The user shall be able to associate an address with a particular Location. When the user selects a Location, all non-empty fields in the Location will overwrite corresponding fields in the Address.
 - 11.1.1. If the user changes any item in an Address when that Address is associated with a Location, the Address shall stay associated with the Location.
 - 11.1.2. When the Location information is changed, the Address information of associated Addresses will be updated with the new Location information.
 - 11.1.2.1. If the user has changed any Address information, that information will be overwritten with the updated Location information.
 - 11.1.2.2. If a Location field is left blank, the associated Address field will not be changed.
 - 11.2. When a Location is deleted, all associated Address records will have the Location field changed to "None".
 - 11.2.1. No Addresses will be deleted.
 - 11.3. Location properties include:
 - 11.3.1. Company information
 - 11.3.2. Address Information
 - 11.3.3. Telephone numbers
 - 11.3.4. Quick Ship information
 - 11.4. A location can have any number of Addresses associated with it.
- 12. Small business users shall be able to import and export addresses from popular contact management software.
- 13. Enterprise users shall be able to directly use addresses from popular contact management software.
- 14. Users from Enterprise accounts shall be able to share addresses with others in the Enterprise.
 - 14.1. Each address will have a "share" checkbox.
 - 14.2. Addresses marked "share" will be available to other members of the Enterprise.
- 15. Distribution List
 - 15.1. Users will be able to ship a single shipment to a list of addresses.

3.1.3. Saved Packages

- 1. The Saved Packages List will hold a variable number of inventory items.
 - 1.1. The number of inventory items will be configurable by account type.
- 2. Users will have access to saved packages from logged on versions of Ship It, Price It, and Sell It.
- 3. The Saved Packages list will include the following fields:
 - 3.1. Nickname
 - 3.2. Origin ZIP Code
 - 3.3. Number of packages in shipment
 - 3.4. All packages in the shipment are the same
 - 3.5. Package weight
 - 3.6. Packaging type
 - 3.7. Package dimensions
 - 3.8. Irregular packaging
 - 3.9. Loss Protection
 - 3.10. Loss Protection Amount
 - 3.11. COD
 - 3.12. COD Amount
 - 3.13. Proof of Delivery (UPS)



- 3.15. Merchandise Description
- 3.16. Notification of Delivery
 - 3.16.1. Verbal Confirmation (UPS)
 - 3.16.2. E-Mail Notification
 - 3.16.3. Delivery Confirmation (USPS)
- 3.17. Certified Mail (USPS)
- 3.18. Return Receipt (USPS)
- 3.19. Guaranteed Delivery
- 3.20. Delivery without Signature
- 3.21. Earliest Delivery Time (UPS)
- 3.22. Carriers
- 3.23. Drop off Location
- 3.24. Pickup Options
 - 3.24.1. Origin City
 - 3.24.2. Origin address Business/Residence selection
 - 3.24.3. Origin address flights of stairs
 - 3.24.4. Origin address loading dock
 - 3.24.5. Origin address appointment required
- 3.25. Handling Charges
 - 3.25.1. Percentage amount
 - 3.25.2. Fixed amount
- 4. Items in Saved Packages will be accessible by alphabetical links.
 - 4.1. Saved Packages will be sorted and displayed alphabetically by Nickname
 - 4.2. Saved Packages will be displayed up to the maximum allowed number of packages.
 - 4.2.1. The maximum number of packages displayed will be configurable.
 - 4.2.2. When an alphabetical section is selected, the displayed list will begin with nicknames beginning with that letter
 - **4.3.** If more packages are available than can be listed on the screen, links to the rest of the nicknames will appear.
 - **4.3.1.** If the list being displayed does not begin with the first package, a Previous link will be displayed.
 - 4.3.1.1. Selecting the Previous link will take the user to a list of packages beginning with the configurable number prior to the current first displayed package.
 - 4.3.2. If the list being displayed does not end with the last package, a Next link will be displayed.
 - 4.3.2.1. Selecting the Next link will take the user to a list of packages beginning with the configurable number after to the current last displayed package.
- 5. The Select Saved Package View will be available when the user selects Saved Packages from within Price It, Ship It, or Sell It.
 - 5.1. Nickname
 - 5.2. Package weight
 - 5.3. Package dimensions
 - 5.4. Loss Protection Amount
 - 5.5. Service Options
 - 5.6. Each package will have a Select button
 - 5.6.1. When Select is pressed, all package fields in the saved package will cascade to the package fields in the application.

- 5.7. When a user atter to add a package to Saved Packages the on Sell It, if the nickname already exists, an alert will appear "A Saved Package with this nickname already exists in your Saved Packages. Do you want to override the existing Package?"
- 5.8. Yes: The existing Package will be overwritten with the new address.
- 5.9. No: The user will be returned to the nickname field.
- 6. A product-level inventory list.

7.1.4. Setup Wizard


- 1. The first time a user enters the site, he will be displayed a first time user setup wizard.
- 2. The wizard shall be available on the My iShip navigation bar.
 - 2.1. The availability of this feature shall be a configurable item.
- 3. The navigation bar shall include:
 - 3.1. Account Preferences
 - 3.2. Change Password
 - 3.3. Carrier Information
 - 3.4. Drop Off/Pickup Information
- 4. The following pages shall be displayed:
 - 4.1. FAQ on how to change preferences
 - 4.2. Account Preferences page
 - 4.3. Password Preferences page
 - 4.4. Shipping Preferences
 - 4.4.1. Carrier Info Preferences page
 - 4.4.2. Drop off/Pickup Location Preferences page

7.1.5. Preferences

- 1. The navigation bar shall include:
 - 1.1. Preferences Home
 - 1.2. Carrier Information
 - 1.3. Drop Off/Pickup Information
 - 1.4. Service Options
 - 1.5. Shipping Information
 - 1.6. Account Preferences
 - 1.7. Change Password
 - 1.8. Application Preferences
 - 1.9. Payment Preferences

2. Preferences Start page





- Illustration 42: Preferences Start page
 - 2.1. When the user first selects Preferences, they will be taken to the Preferences Start page.
 - 2.2. Each section on the page will have a change link. The change link will take the user to the corresponding Preferences page.
 - 2.3. Account Information section
 - 2.3.1. iShip Account number
 - 2.3.2. User Name
 - 2.3.3. Contact Info
 - 2.3.3.1. Contact Name
 - 2.3.3.2. Contact Company
 - 2.3.3.3. Contact Address1
 - 2.3.3.4. Contact Address2
 - 2.3.3.5. Contact Address3
 - 2.3.3.6. City
 - 2.3.3.7. State/Province
 - 2.3.3.8. ZIP/Postal Code
 - 2.3.3.9. Telephone number
 - 2.3.3.10. E-mail address
 - 2.4. Password
 - 2.4.1. Password Recovery Question
 - 2.4.2. Password Recovery Answer
 - 2.5. Carrier Information
 - 2.5.1. For each carrier

- 2.5.1.1. arrier logo
- 2.5.1.2. Carrier account number (For Enterprise and multi-user accounts, displayed for privileged users only)
- 2.5.1.3. Pickup Time
- 2.5.1.4. Account Status
- 2.5.2. Show Rates for these carriers
 - 2.5.2.1. For each carrier selected in the user's preferences, show the carrier logo.
- 2.6. Package Options
- 2.7. Shipping Options
- 2.8. Drop Off/Pickup Location
 - 2.8.1. Default Origin ZIP code
 - 2.8.2. For each carrier, the default drop off location
- 2.9. Payment Preferences
- 3. Account Preferences Page (page 1)

iShip.com.




Illustration 43: Preferences -- Account Info

- 3.1. iShip account number (not editable)
- 3.2. User name (Enterprise and multi-user accounts only)
- 3.3. User e-mail address
 - 3.3.1. When the user e-mail address is changed:
 - 3.3.1.1. An e-mail will be sent to both the new and the old registered e-mail addresses.
 - 3.3.1.2. The e-mail will include the old and new e-mail addresses.
- 3.4. User Address
 - 3.4.1. Contact Name (required)
 - 3.4.2. Company Name
 - 3.4.3. Street (Address 1)
 - 3.4.4. Room/Floor (Address 2)
 - 3.4.5. Department (Address 3)

- 3.4.6. City
- 3.4.7. State
- 3.4.8. ZIP Code (required)
- 3.4.9. Telephone
- 3.5. Receive shipping information updates.
- 3.6. Receive shipping notifications via e-mail.
- 3.7. Allow e-mail only shipping by other iShip users.
 - 3.7.1. Default is No.
- 3.8. Remember my name and password for easy logon.
 - 3.8.1. Availability of this option is configurable by Enterprise Administrator.
- 3.9. Default measurement type
 - 3.9.1. Weight
 - 3.9.1.1. Pounds, ounces
 - 3.9.1.2. Grams
 - 3.9.1.3. Kilograms
 - 3.9.2. Dimensions
 - 3.9.2.1. Inches
 - 3.9.2.2. Feet
 - 3.9.2.3. Centimeters
 - 3.9.2.4. Meters
- 3.10. Default time display
 - 3.10.1. 12-hour time
 - 3.10.1.1. AM/PM radio buttons will be displayed
 - 3.10.2. 24-hour time
- 3.11. Link to Account Deactivation page:

iShip.com.




Illustration 44: Deactivate Account

- 3.11.1. Text: "Deactivate your account. To deactivate your account, enter your user name and password below and click on Next."
- 3.11.2. Fields
 - 3.11.2.1. User Name/E-mail address

3.11.2. Password


3.11.3. Buttons

3.11.3.1. Next

3.11.3.2. Cancel

3.11.4: If the user name and password pass validation, a warning page will appear:





間llustration 45: Deactive Account

3.11.4.1. Text:

"Deactivate Your iShip Account Remove the following iShip users:

<user name>

<e-mail address>

Warning! By deactivating your account, you will lose your shipping history, your address book, and all other personalized information.

Click on Next to Remove this account."

3.11.4.2. Buttons

3.11.4.2.1. Next

3.11.4.2.2. Cancel

4. Password (page 2)








Illustration 46: Preferences -- Password

- 4.1. User Password
 - 4.1.1. New Password text box
 - 4.1.2. Confirm New Password text box
 - 4.1.3. When the user password is changed:
 - 4.1.3.1. An e-mail will be sent to the registered e-mail address.
 - 4.1.3.2. The e-mail will include the new password.
- 4.2. Password Recovery
 - 4.2.1. Password recovery question.
- 4.3. Answer to the password recovery question.
- 5. Carrier Info (page 3)






Illustration 47: Preferences -- Carrier Info

- 5.1. Carrier Account information for each carrier
 - 5.1.1. Carrier Account number (not editable)
 - 5.1.1.1. Not displayed for Enterprise and multi-user accounts
 - 5.1.2. Pickup time
 - 5.1.3. Status of Carrier account
 - 5.1.3.1. Active
 - **5.1.3.2.** Pending
 - 5.1.3.3. Canceled
 - 5.1.3.4. Suspended
- 5.2. Carriers

O

- 5.2.1. Each carrier shall be displayed with its logo and a check box.
 - **5.2.1.1.** For Enterprise Accounts, only carriers selected by the Administrator will be displayed.
 - 5.2.1.2. All carriers will be selected by default.
 - 5.2.1.3. Each selected carrier will be displayed on the Options page and rate grid in Price It, Sell It, and Ship It.

- - 2.1.3.1. A carrier will only be display the Options page when the package being shipped is supported by the business rules of the carrier.
- **5.2.1.4.** Non-supported carriers will be displayed differently from supported carriers on this page.
- 5.2.2. An additional check box "Ship with iShip supported Carriers only" will be displayed
 - 5.2.2.1. The box will be checked by default.
 - 5.2.2.2. When this check box is selected, only carriers for which iShip will print a label or traveler will be displayed on the Options page and rate grid in Ship It.
 - 5.2.2.3. The supported carriers will be listed near the check box.

5.3. Services

- **5.3.1.** The user will be able to drop down each displayed carrier to show the services iShip supports for that carrier.
- 5.3.2. All services will be selected by default.
- 5.3.3. The user will be able to choose the default rate grid behavior:
 - 5.3.3.1. Fastest delivery
 - 5.3.3.2. Cheapest delivery
 - 5.3.3.3. Preferred carrier
- 6. Custom rates for Enterprise and multi-user accounts.
- 7. Drop off/Pick Up location (page 4)




Illustration 48: Preferences -- Drop off Locations

- 7.1. Origin ZIP code
 - 7.1.1. Default will be the user's ZIP code
 - 7.1.2. Descriptive text: If you usually ship from a location other than your return address, enter the ZIP code from which you usually ship here.
- 7.2. Each Carrier selected by the user in the Carriers section of Preferences will include a site type drop down list.
 - 7.2.1.1. Each Carrier not selected by the user will appear with the words "(not selected") underneath it.
 - 7.2.1.2. Only Carriers available to the user and selected by the Administrator will appear in the list.
- 7.3. Drop off/pickup locations will include:
 - 7.3.1. A drop box or carrier self-service station
 - 7.3.2. A carrier-operated shipping counter

- 7.3.3. My loca by calling the carrier for pickup
- 7.3.4. My location through scheduled pickup
- 7.3.5. My local Mail Boxes, Etc. store
- 7.4. A drop off locator will be available for all drop off types. (See Common Req.# 4.8.1.10.9.4)
- 8. Service Options (page 5)

iShip.com.




Illustration 49: Preferences -- Package Options

- 8.1. The user will be able to select preferred service options
 - 8.1.1. Declared Value amount
 - 8.1.2. Notification of Delivery
 - 8.1.2.1. Verbal Confirmation (UPS)
 - 8.1.2.2. E-Mail Notification
 - 8.1.2.3. Delivery Confirmation (USPS)
 - 8.1.3. COD amount
 - 8.1.3.1. Cash only
 - 8.1.4. Proof of Delivery (UPS)
 - 8.1.5. Call Tag (UPS)
 - 8.1.6. Certified Mail (USPS)
 - 8.1.7. Return Receipt (USPS)
 - 8.1.8. Default package reference number

9. Shipping Options (pag

iShip.com.




Illustration 50: Preferences -- Shipping Options

- 9.1. Destination address is a Business/Residence
 - 9.1.1. Default is Business
 - **9.1.2.** When residence is selected, the destination address will always default to residence, including:
 - 9.1.2.1. Price It
 - 9.1.2.2. Ship It
 - 9.1.2.3. Address Book
 - 9.1.2.4. Sell It Buyer's experience.
- 9.2. Delivery Deadline
 - 9.2.1. The drop down list will include:
 - 9.2.1.1. (Select One)

- 9.2.1.2 Same Day
- 9.2.1.3. Next Day
- 9.2.1.4. Second Day
- 9.2.1.5. Third Day
- 9.2.1.6. Ground
- 9.3. Guaranteed Delivery
- 9.4. Deliver without Signature
- 9.5. Earliest Delivery Time (UPS)
- 9.6. Documents Only
- 9.7. Non-Dutiable
- 9.8. If the user has not defined a preference, the box will be unchecked by default.
- 9.9. Freight Pickup Options
 - 9.9.1. Flights of stairs text box
 - 9.9.2. Loading dock check box
 - 9.9.3. Appointment required check box
- 9.10. Handling Charges
 - 9.10.1. A text box for percentage amount
 - 9.10.2. A text box for a fixed amount
- 9.11. Show Retail Rates
- 9.12. Default Saved Package
- 9.13. Default shipment reference number
- 9.14. iShip Optimizer
 - **9.14.1.** Users will be able to answer questions that will allow iShip to make a decision as to the best service for each package the user ships.
 - 9.14.1.1. Questions will include:
 - 9.14.1.1.1. Preferred carriers
 - 9.14.1.1.2. Preferred best price or fastest service
 - 9.14.1.1.2.1. Selection will be grouped by packaging type.
 - 9.14.1.1.3. Preferred delivery time
- 10. Application Preferences (page 7)






Illustration 51: Preferences -- Application

10.1. Start Pages

10.1.1. Show Application Start Page for:

٠Ō

- 10.1.1. rice It check box
- 10.1.1.2. Sell It check box
- 10.1.1.3. Ship It check box
- 10.1.2. Default is checked
- 10.1.3. If the user selects the check box "don't show me this page again on any application start page, the check box for the appropriate application shall be unchecked.
- 10.1.4. This option will only appear if allowed by the Enterprise Administrator.
- 10.2. Show Advanced Package Options check box
 - 10.2.1. Default is checked.
 - 10.2.2. If check box is de-selected the Advanced Package Options section of the Package Info page will be hidden by default.
- 10.3. Show Log Off Message check box
 - 10.3.1. Default is checked
 - 10.3.2. If check box is selected, the warning alert on log off will not be shown.
- 10.4. Track It Options
 - 10.4.1. Drop down list for "Display this page first in Track It"
 - 10.4.1.1. Track a Package
 - 10.4.1.2. Pending Packages
 - 10.4.1.3. Shipped Packages
 - 10.4.1.4. Inbound Packages
- 11. Payment Preferences (page 8)




Illustration 52: Preferences -- Payment

- 11.1. This option will only display if allowed by the Enterprise Administrator.
- 11.2. Payment type drop down list
 - 11.2.1. Carrier account
 - 11.2.2. Credit card
 - 11.2.3. Bill collect
 - 11.2.4. Bill third party

- 11.3. The user may s to have iShip store his credit card inform. Fields include
 - 11.3.1. First Name
 - 11.3.2. Last Name
 - 11.3.3. Credit card number
 - 11.3.3.1. The last four numbers of the credit card will be displayed.
 - 11.3.4. Credit card expiration date
 - 11.3.5. Company Name
 - 11.3.5.1. Default to name in user preferences
 - 11.3.6. Street (Address 1)
 - 11.3.6.1. Default to address in user preferences
 - 11.3.7. Room/Floor (Address 2)
 - 11.3.7.1. Default to address in user preferences
 - 11.3.8. Department (Address 3)
 - 11.3.8.1. Default to address in user preferences
 - 11.3.9. City
 - 11.3.9.1. Default to city in user preferences
 - 11.3.10. State
 - 11.3.10.1. Default to state in user preferences
 - 11.3.11. ZIP Code
 - 11.3.11.1.Default to ZIP in user preferences
 - 11.3.12. Telephone
 - 11.3.12.1. Default to telephone in user preferences
 - 11.3.13. E-mail address
 - 11.3.13.1. Default to e-mail address in user preferences
- 11.4. A list of acceptable credit cards will be displayed on the page.
- 12. Setup Scales and Printers
 - 12.1. Support for Scales and Printers

8. Price It

8.1. LOGGED ON USERS

- 1. Navigation bar headings will be:
 - 1.1. Start Page (if turned on in preferences)
 - 1.2. Prepare Shipping Estimate
 - 1.3. Package Options
 - 1.3.1. For multiple-package shipments, there will be a Package Options listing for each package.
 - 1.4. Shipping Options
 - 1.5. Rates and Times
- 2. Application Start Page (if turned on in preferences)

iShip.com




Illustration 53: Price It Start Page

- 2.1. Charges
 - 2.1.1. Service charge
 - 2.1.2. Service options charge
 - 2.1.3. Total charges
- 2.2. Shipment
 - 2.2.1. Origin postal code
 - 2.2.2. Destination nickname
 - 2.2.3. Destination Country
 - 2.2.4. Destination City
 - 2.2.5. Destination State/Province
 - 2.2.6. Destination ZIP/Postal Code
 - 2.2.7. Delivery address Business/Residence selection
 - 2.2.8. Number of packages in shipment

- 2.3. Package, for each kage
 - 2.3.1. Package weight
 - 2.3.2. Packaging type
 - 2.3.3. Package dimensions
 - 2.3.4. Service options
- 2.4. Shipping Options
 - 2.4.1. Ship Date
 - 2.4.2. Delivery Deadline (show if selected)
 - 2.4.3. Delivery Options
 - 2.4.4. Drop off Location
 - 2.4.5. Retail Rates (show if yes)
- 2.5. Service
 - 2.5.1. Carrier
 - 2.5.2. Service
 - 2.5.3. Delivery Date
- 2.6. Buttons
 - 2.6.1. Next
 - 2.6.2. Ship It (gray until all required fields entered)
 - 2.6.3. Cancel

3. Prepare Your Shippin timate (page 1)






Illustration 54: Price It Shipping Estimate

- 3.1. Link to Drop off Locator (see Common Req. #4.8.1.10.9.4)
- 3.2. Rating preparation (see Common Req.#4.8.1.3 4.8.1.8.3)
- 3.3. A link to Package Options
 - 3.3.1. The label will be "Advanced Package Options".
 - 3.3.2. When selected, the user will be taken to the Package Options page for package 1.
 - 3.3.2.1. Standard page validation will apply.
 - 3.3.3. The fields for package weight and type will be pre-populated.
- 3.4. Buttons
 - 3.4.1. Show Rates
 - 3.4.2. Next
 - 3.4.3. Save
 - 3.4.4. Cancel
- 4. Package Options (page 2)
 - 4.1. The Package Options page will be displayed:
 - 4.1.1. For package 1 when the user selects the Advanced Package Options page from the Prepare Estimate page.

- 4.1.2. For ea chage 2-n when the user selects a num (Number Packages in my Shipment" and answers no to "All the packages in my shipment are the same."
- **4.1.3.** The default value for each field will be the previously entered value for that field in the current shipment.
- 4.2. Package Weight, Type and Options for package x of n (see Common Req. #4.8.1.8)
- 4.3. Advanced Package Options for package x of n (see Common Req. #4.8.1.9)
- 4.4. Buttons
 - 4.4.1. Show Rates
 - 4.4.2. Back
 - 4.4.3. Next
 - 4.4.4. Save
 - 4.4.5. Cancel
- 5. Shipping Options (page 3)
 - 5.1. The Shipping Options page will be displayed when the user selects Next from the Prepare Estimate or Package Options page and all required shipment and package information has been collected.
 - 5.2. All Shipping Options (see Common Req. #4.8.1.10)
 - 5.2.1. Show Retail Rates check box
 - 5.2.1.1. Retail rates display the prices the user's customer will pay for services.
 - 5.2.1.1.1. If the user's account has retail rates available, those rates will be displayed when retail rates are selected.
 - **5.2.1.1.2.** If the user's account does not have retail rates available, the user's standard rates will be displayed when retail rates are selected.
 - 5.2.1.1.3. If the user has selected handling charges in preferences, the handling charges will be added to the retail rates.
 - 5.2.2. Handling Charges will be displayed only for freight shipments (see Common Req. #4.8.1.10.12)
 - 5.3. Save these choices as my defaults check box
 - 5.3.1. When selected, all selections on the page will replace the user's preferences.
 - 5.4. Buttons
 - 5.4.1. Show Rates
 - 5.4.2. Back
 - 5.4.3. Next
 - 5.4.4. Save
 - 5.4.5. Cancel
- Shipping Charges and Delivery Times (page 4)
 - 6.1. The Shipping Charges page (see Common Req. #4.8.2) will be displayed
 - 6.1.1. When the user selects Next from the Shipping Options page
 - 6.1.2. When the user selects Get Rates from any Price It page.
 - 6.2. The standard rate grid will be displayed (see Common Req. #4.8.2.3)
 - 6.3. The rate grid will show the total amount of all the packages in the shipment.
 - 6.4. If shipment pricing is available, the rate grid will show shipment pricing.
 - 6.5. Buttons
 - 6.5.1. Back
 - 6.5.2. Save
 - 6.5.3. Price Another
 - 6.5.3.1. The user will be taken to the first page of Price It.
 - 6.5.4. Ship Now
 - 6.5.4.1. The user will be taken to the Ship Now page.



- 7. Ship Now
 - 7.1. The Shipping Addresses page (see Common Req. 4.8.1.11) will be displayed when the user selects Ship Now from the Shipping Charges page.
 - 7.1.1. Return Address
 - 7.1.1.1 If the return city and postal code in the Price It session match the city and postal code in the user's preferences, the Return address information will be pre-populated from the user's preferences.
 - 7.1.1.2. If no city has been specified in the Price it session, and the Price It postal code matches the postal code in the user's preferences, the return address information will be pre-populated from the user's preferences.
 - 7.1.1.3. If the return address is being populated from the user's preferences:
 - 7.1.1.3.1. The return address shall be hard-coded.
 - 7.1.1.3.2. There will be a Change link.
 - 7.1.1.3.3. Selecting the Change link will take the user to a change Return Address page.
 - 7.1.1.4. If the origin postal code does not match the postal code in the user's preferences, the City, State, and postal will be pre-populated with the information from the Price It session.
 - 7.1.1.4.1. If there is more than one possible city associated with the postal code, the city choices will be offered in a drop down list.
 - 7.2. Buttons
 - 7.2.1. Back
 - 7.2.2. Save
 - 7.2.3. Print
 - 7.2.3.1. Label or
 - 7.2.3.2. Traveler
 - 7.2.4. Cancel
- 8. Payment page (see Common Req. #4.8.1.13)
- 9. Users will be taken through the Ship It pathway from this point on (see Req. #10.1.1.8)

₹8.2. LOGGED OFF USERS

- 1. Logged off Price It will have the same functionality as the logged on version with the following exceptions:
 - 1.1. The Save button shall not be displayed.
 - 1.2. The Ship Now button shall not be displayed.
 - 1.3. Defaults will not be taken from preferences. Standard defaults will be used.

ļД

8.3. QUICKPRICE



- 1. QuickPrice will have the same functionality as Price It, with the following exceptions.
 - 1.1. From the QuickPrice page, the user will enter:



Illustration 55: Quick Price (shown with Quick Track)

- 1.1.1. Origin ZIP (text box)
- 1.1.2. Destination ZIP (text box)
 - 1.1.2.1. Only U.S. ZIP codes will be allowed.
 - 1.1.2.2. If a user enters a non-U.S. ZIP code, an error message will appear: "You have entered a non-valid ZIP code. To price a package going to a non-U.S. destination, please use the Price It tool."
- 1.1.3. Package weight (drop down list)
 - 1.1.3.1. Letter
 - 1.1.3.2. 1 lb through 150 lbs, in one-pound increments
 - 1.1.3.3. 151+ lbs.
- 1.2. On selecting Go, the user will be taken to the standard Shipping Charges page.
 - 1.2.1. If the user has selected 151+ pounds, the user will be taken to the Package Options page for package 1 of 1.
 - 1.2.2. Navigation from the page will follow standard Price It behavior.
 - 1.2.3. Standard defaults will be used to rate the package.
 - 1.2.3.1. User preferences will take precedence over standard defaults.
 - 1.2.3.2. Destination is a Business Address
 - 1.2.3.3. Packaging Type: Other Packaging
 - 1.2.3.4. Package Dimensions:
 - 1.2.3.4.1. Length 10 inches
 - 1.2.3.4.2. Width 10 inches
 - 1.2.3.4.3. Height 10 inches
 - 1.2.3.5. Carriers: All Available
 - 1.2.3.6. Service Options: None
 - 1.2.3.7. Ship Date: Today
 - 1.2.3.8. Drop Off Location: My location through scheduled pickup
 - 1.2.3.9. Standard rates
 - 1.2.4. If the user is logged on when using QuickPrice, the user will be taken to the logged on version.
 - 1.2.5. If the user is not logged on when using QuickPrice, the user will be taken to the logged off version.
- 1.3. If no rates are available for the user's package, the user will be taken to the first page of Price It.

- 1.3.1. The us ZIP code and weight selections will be propulated.
- 1.3.2. An error message will be displayed: "No services are available for comparison. Please check your information and try again."

9. Sell It

9.1. LOGGED ON USERS

- 1. Seller's Navigation bar headings will be:
 - 1.1. Start Page (if turned on in preferences)
 - 1.2. Prepare Shipping Estimate
 - 1.3. Package Options
 - 1.3.1. For multiple-package shipments, there will be a Package Options listing for each package.
 - 1.4. Shipping Options
 - 1.5. Preview Rates and Times
 - 1.6. Finish
- The availability of this application will be configurable by the administrator.
- 3. Application Start Page (if turned on in preferences)
 - 3.1. Shipment
 - 3.1.1. Origin postal code
 - 3.1.2. Number of packages in shipment
 - 3.2. Package, for each package
 - 3.2.1. Package weight
 - 3.2.2. Packaging type
 - 3.2.3. Package dimensions
 - 3.2.4. Service options
 - 3.3. Shipping Options
 - 3.3.1. Delivery Options
 - 3.3.2. Drop off Location
 - 3.3.3. Handling Charges
 - 3.4. Buttons
 - 3.4.1. Next
 - 3.4.2. Cancel
- 4. Prepare Your Shipping Estimate (page 1)
 - 4.1. Link to Drop off Locator (see Common Req. #4.8.1.10.9.4)
 - **4.2.** Rating preparation (see Common Req.#4.8.1.3, 4.8.1.7 4.8.1.8.3)
 - 4.2.1. Destination information will not be included.
 - 4.3. A link to Package Options
 - 4.3.1. The label will be "Advanced Package Options".
 - 4.3.2. When selected, the user will be taken to the Package Options page for package 1.
 - 4.3.2.1. Standard page validation will apply.
 - 4.4. The fields for package weight and type will be pre-populated.
 - 4.5. Buttons
 - 4.5.1. Show Rates
 - 4.5.2. Next
 - 4.5.3. Save
 - 4.5.4. Cancel
- 5. Package Options (page 2)
 - 5.1. The Package Options page will be displayed:
 - 5.1.1. For package 1 when the user selects the Advanced Package Options page from the Prepare Estimate page.

CONFIDENTIAL

- 5.1.2. For each chage 2-n when the user selects a numeral) greater than one in the field "Number Packages in my Shipment" and answers no to "All the packages in my shipment are the same."
- 5.1.3. The default value for each field will be the previously entered value for that field in the current shipment.
- 5.2. Package Weight and Type for package x of n (see Common Req. #4.8.1.8)
- 5.3. Advanced Package Options for package x of n (see Common Req. #4.8.1.9).
 - 5.3.1. Call Tag will not be available (see Common Req. # 4.8.1.9.3).
- 5.4. Buttons
 - 5.4.1. Show Rates
 - 5.4.2. Back
 - 5.4.3. Next
 - 5.4.4. Save
 - 5.4.5. Cancel
- 6. Shipping Options (page 3)
 - **6.1.** The Shipment Information page will be displayed when the user selects Next from the Prepare Estimate or Package Options page and all required shipment and package information has been collected.
 - 6.2. Shipping Options (see Common Req. #4.8.1.10):
 - 6.2.1. Allow International shipping check box (small parcel only)
 - **6.2.1.1.** If this box is not selected, no International services will be displayed on the rate grid.
 - 6.2.1.2. The box will be checked by default.
 - 6.2.2. Ship Date will not be displayed (see Common Req. # 4.8.1.10.1).
 - 6.2.3. Delivery Deadline will not be displayed (see Common Req. # 4.8.1.10.2).
 - 6.2.4. Delivery Options will not be displayed (see Common Req. # 4.8.1.10.11).
 - 6.2.5. Handling Charges will be displayed (see Common Req. #4.8.1.10.12).
 - 6.3. Save these choices as my defaults check box
 - 6.3.1. When selected, all selections on the page will replace the user's preferences.
 - 6.4. Buttons
 - 6.4.1. Preview Rates
 - 6.4.2. Back
 - 6.4.3. Next
 - 6.4.3.1. When Next is selected, a unique ID pointing to the shipment record shall be created.
 - 6.4.4. Save
 - 6.4.5. Cancel
- 7. Create Link or Finish (page 4)
 - 7.1. The Create Link form will appear if the affiliate has not defined "Send Enabled" data in the Administrative Tool.






Illustration 56: Create Link

- **7.1.1.** Text: "Congratulations! Your unique hyperlink is below. This link will allow your buyers to accurately estimate their shipping charges.
- 7.1.2. Text area for a URL (not shown on Finish page)
 - 7.1.2.1. For supported browsers, clicking in the memo field will cause the entire contents of the field to be selected.
 - 7.1.2.2. The URL will reference a record containing all information selected by the user in Sell It.
 - 7.1.2.3. The URL will include a small iShip icon.
 - 7.1.2.3.1. The availability of this feature will be configurable by the Administrator.
 - 7.1.2.4. The text of the link shall be: "Click here to use iShip.com to view your shipping charges."
- **7.1.3.** Note text: To use the link, **copy** the entire text from the box above and **paste** it into your item description.
- 7.2. If an affiliate has defined Sell It "Send Enabled" data in the Administrative tool, the Finish page will appear.






Illustration 57: Sell It Pro

- 7.2.1. Finish Text (not shown on Create Link page)
 - 7.2.1.1. Defined by affiliate
 - 7.2.1.2. If not defined, the text will read: "Congratulations! Your shipping estimate has been created. Please click Finish to Continue."
 - 7.2.1.3. The unique shipment information will be passed to the affiliate.
- 7.3. Add to Saved Packages check box
 - 7.3.1. When checked, the shipment record will be saved on Save or Done.
 - 7.3.2. If no nickname has been entered for the shipment, the Save pop up window will be displayed.
 - 7.3.2.1. The Add to Saved Packages check box will be checked.
- 7.4. E-Mail this Quote link (see Common Req. #4.8.2.15)
- 7.5. Buttons
 - 7.5.1. Preview Rates
 - 7.5.2. Back
 - 7.5.3. Done
 - 7.5.4. Save
 - 7.5.5. Cancel
- 8. Buyer Experience
 - 8.1. Buyer's navigation bar settings will be:
 - 8.1.1. Shipping Options
 - 8.1.2. Shipping Charges and Delivery Times

8.2. Shipping Option






Illustration 58: Buyer Options

- 8.2.1. Destination Information (see Common Req. #4.8.1.5 4.8.1.6)
 - 8.2.1.1. Destination Country will only be shown if the Seller selected "allow International Shipping"
- 8.2.2. Guaranteed delivery time (see Common Req. #4.8.1.10.3)
- 8.2.3. Carrier Loss Protection (see Common Req. #4.8.1.8.4)
 - **8.2.3.1.** For a multi-package shipment, the carrier loss protection entered by the buyer will be divided equally among all packages in the shipment.
- 8.2.4. Delivery Options (freight only) (see Common Req. #4.8.1.10.11)
- 8.2.5. Buttons
 - 8.2.5.1. Next
 - 8.2.5.2. Reset
 - 8.2.5.3. Cancel

8.3. Buyer's Rate Gri






Illustration 59: Buyer Rate Grid

- 8.3.1. The Sell It Rate Grid will be displayed (see Common Req. # 4.8.2.4, 4.8.2.10.1.2)
- 8.3.2. The rate grid will show the total amount of all the packages in the shipment.
- 8.3.3. If shipment pricing is available, the rate grid will show shipment pricing.
- 8.3.4. The summary information sections will not include "Change" links:
- 8.3.5. All summary information will be displayed, except as noted in Common Req. #4.8.2.12.
- 8.3.6. Buttons
 - 8.3.6.1. Back
 - 8.3.6.2. Done

9. Preview Rates







Illustration 60: Preview Rates





- 9.1. The Seller will be from Sell It.
- to duplicate the Buyer's experience by
- sing the Preview Rates button
- 9.1.1. On each page, the Seller will see the headline: "Below is a Preview of what your Buyers will see".
- 9.1.2. The Seller's navigation bar will remain as it is in Sell It.
- 10. Request Buyer Info
 - 10.1. The item created in Sell It will be kept in a Sell It log
 - 10.2. The Seller will select the item:
 - 10.2.1. Add an item description to the record
 - 10.2.2. Add personal comments to the record
 - 10.2.3. E-mail the Buyer with a link to the record
 - 10.2.3.1. The e-mail will appear to come from the Seller's e-mail address
 - 10.3. The Buyer will
 - 10.3.1. Select the link in the e-mail to retrieve the Sell It record.
 - 10.3.2. Enter his delivery address into the record
 - 10.3.3. Select his service options
 - 10.3.4. Select a service
 - 10.3.5. Select payment options
 - 10.3.5.1. BillPoint integration for payment.
 - 10.3.6. Send an e-mail notification to the Seller
 - 10.3.6.1. The e-mail will appear to come from the Buyer.
 - 10.4. When the response from the Buyer is received, the item will appear as "purchased" in the Seller's Sell It log.
 - 10.5. The Seller will select the item to ship the package.
 - 10.5.1. The user will be displayed the Ship It Start page.
 - 10.5.2. The Start page will include all information in the Sell It record.

5 19.2. LOGGED OFF USERS

- 1. Logged off Sell It will have the same functionality as the logged on version with the following exceptions:
 - 1.1. The Save button shall not be displayed.
 - 1.2. The Add to Saved Packages link shall not be displayed.
 - 1.3. Defaults will not be taken from preferences. Standard defaults will be used.

Ship It 10.

10.1.1. Standard

- 1. Navigation bar headings will be:
 - 1.1. Start Page (if turned on in preferences)
 - 1.2. Shipping Addresses
 - 1.3. Package Options
 - 1.3.1. For multiple-package shipments, there will be a Package Options listing for each package.
 - 1.4. Shipping Options
 - 1.5. Rates and Times
 - 1.6. Print
 - the navigation bar.
 - 1.7.1. The availability of this feature is configurable by the Administrator.
 - When a user selects "Ship For roxy user name" then all shipping functionality will remain as if the current user is shipping, except:
 - 1.7.2.1. The return address shall default to return address.
 - The reference numbers shall default to roxy user name>'s reference 1.7.2.2. numbers.
 - The shipments shall be associated with roxy user name instead of with the 1.7.2.3. shipper.
- Application Start Page (if turned on in preferences)




Illustration 62: Ship It Start Page

- 2.1. Charges
 - 2.1.1. Service charge

- 2.1.2. Service ons charge
- 2.1.3. Total charges

2.2. Return Address

- 2.2.1. Contact Name
- 2.2.2. Company Name
- 2.2.3. Street Address
- 2.2.4. Room/Floor (Address 2)
- 2.2.5. Department (Address 3)
- 2.2.6. City
- 2.2.7. State
- 2.2.8. ZIP Code
- 2.2.9. Telephone
- 2.2.10. E-mail address
- 2.2.11. Link to Address Book

2.3. Destination Address

- 2.3.1. Address Nickname text box
- 2.3.2. Contact Name
- 2.3.3. Company Name
- 2.3.4. Street (Address 1)
- 2.3.5. Room/Floor (Address 2)
- 2.3.6. Department (Address 3)
- 2.3.7. City
- 2.3.8. State or Province
- 2.3.9. ZIP or Postal Code
- 2.3.10. Country
- 2.3.11. Telephone (required)
- 2.3.12. E-mail address
- 2.3.13. Delivery address Business/Residence selection
- 2.3.14. Link to Address Book

2.4. Package, for each package

- 2.4.1. Package weight
- 2.4.2. Packaging type
- 2.4.3. Package dimensions
- 2.4.4. Service options

2.5. Shipping Options

- 2.5.1. Number of packages in shipment
- 2.5.2. Ship Date
- 2.5.3. Delivery Deadline (show if selected)
- 2.5.4. Delivery Options
- 2.5.5. Drop off Location
- 2.5.6. Retail Rates (show if yes)

2.6. Service

- 2.6.1. Carrier
- 2.6.2. Service
- 2.6.3. Delivery Date
- 2.7. Buttons
 - 2.7.1. Next

- 2.7.2. Print (g ntil all required fields entered)
- 2.7.3. Cancel
- Shipping Addresses (page 1) (see Common Req. #4.8.1.11)
 - 3.1. Buttons
 - 3.1.1. Show Rates
 - 3.1.2. Next
 - 3.1.3. Save
 - 3.1.4. Cancel
- 4. Package Options (page 2)

iShip.com.




Illustration 63: Ship It Package Info


- 4.1. The Shipment definition section will be displayed (see Common Req. #4.8.1.7) for package 1 only.
- 4.2. The Package Options page will be displayed:
 - **4.2.1.** For each package 1-n when the user selects a number (n) greater than one in the field "Number of Packages in my Shipment" and answers No to "All the packages in my shipment are the same."
 - **4.2.2.** The default value for each field will be the previously entered value for that field in the current shipment.
- 4.3. Package Weight, Type and Options for package x of n (see Common Req. #4.8.1.8)
- 4.4. Advanced Package Options for package x of n (see Common Req. #4.8.1.9)
 - 4.4.1. Enterprise tracking number.
 - 4.4.1.1. The availability of this feature shall be configurable by the Administrator.
 - 4.4.1.2. If populated, this field shall always be printed on the label and/or traveler.





- 4.5.1. Show Rate:
- 4.5.2. Back
- 4.5.3. Next
- 4.5.4. Save
- 4.5.5. Cancel
- 5. Shipping Options (page 3) (see Common Req. #4.8.1.10)
 - 5.1. The Shipment Information page will be displayed when the user selects Next from the Prepare Estimate or Package Options page and all required shipment and package information has been collected.
 - 5.2. All Shipping Options (see Common Req. #4.8.1.10):
 - 5.2.1. Show Retail Rates check box
 - **5.2.1.1.** Retail rates display the prices the user's customer will pay for services.
 - 5.2.1.1.1. If the user's account has retail rates available, those rates will be displayed when retail rates are selected.
 - 5.2.1.1.2. If the user's account does not have retail rates available, the user's standard rates will be displayed when retail rates are selected.
 - 5.2.1.1.3. If the user has selected handling charges in preferences, the handling charges will be added to the retail rates.
 - **5.2.2.** Handling Charges will be displayed only for freight shipments (see Common Req. #4.8.1.10.12)
 - 5.3. Save these choices as my defaults check box
 - 5.3.1. When selected, all selections on the page will replace the user's preferences.
 - 5.4. Buttons
 - 5.4.1. Show Rates
 - 5.4.2. Back
 - 5.4.3. Next
 - 5.4.4. Save
 - 5.4.5. Cancel
- 6. Shipping Charges and Delivery Times (page 4)
 - 6.1. The Shipping Charges page (see Common Req. #4.8.2) will be displayed
 - 6.1.1. When the user selects Next from the Shipping Options page
 - 6.1.2. When the user selects Show Rates from any Ship It page.
 - 6.2. The standard rate grid will be displayed (see Common Req. #4.8.2.3)
 - 6.3. The rate grid will show the total amount of all the packages in the shipment.
 - 6.4. If shipment pricing is available, the rate grid will show shipment pricing.
 - 6.5. Buttons
 - 6.5.1. Back
 - 6.5.2. Save
 - 6.5.3. Print
 - 6.5.3.1. Label or
 - 6.5.3.2. Traveler
 - 6.5.4. Cancel
- 7. Payment page (page 5) (see Common Req. #4.8.1.13)
- 8. Print
 - 8.1. Labels will be printed when:
 - 8.1.1. The user has paid with a carrier account and the user's Enterprise account permits desktop printing of labels for the shipment.

- 8.1.2. The use as paid with a credit card and has used a ger iShip supports for one-off credit card transactions.
 - 8.1.2.1. Labels will not be printed if the selected drop off location is MBE.
- 8.2. Travelers will be printed when:
 - 8.2.1. The user has selected MBE as the drop off location
 - 8.2.2. The user's Enterprise account does not permit desktop printing of labels for the shipment
- 8.3. The first label or traveler in the shipment will be displayed in a new browser window.
 - 8.3.1. A next button will take the user to the next label or traveler in the shipment
 - 8.3.2. A done button will appear on the last label or traveler of the shipment.
- 8.4. The labels and travelers will include:



Your Unique Shipping Label

iShip Tracking Number: MX 345 678

Drop Off Location:

iShip com 3535 Factoria Blvd SE

Suite 500 Bellevue, WA 98006 (425) 602-4848

Drop Off Deadline:

4:30nm

How to Use Your Label

DO NOT PHOTOCOPY

Using a photocopy could delay the delivery of your package and will result in additional shipping charges.


To prepare your package for shipment, you need to do the following:

- Use the Print button in your browser to print this page to your laser printer.
- Fold the printed page in half and use it as your shipping label.
- Place the shipping label in a transparent pouch and affix to your package so that the entire label is visible.
- Take your package to the Drop Off Location listed above.

[< Back | Next Label >] [x Cancel]

[Help]

Illustration 64: UPS Label



[< <u>Back</u>] [x <u>Cancel</u>]

Illustration 65: Traveler

- 8.4.1. Carrier label image or required traveler information
- 8.4.2. EPSO number
- 8.4.3. iShip Tracking number/Traveler number
- 8.4.4. Name and address of drop off location
- 8.4.5. Phone number of drop off location, if available
- 8.4.6. Drop off deadline for selected drop off location
- 8.4.7. Instructions on what to do next.
- 8.4.8. If user selected call for pickup
 - 8.4.8.1. Information about how to contact the carrier for pickup
 - 8.4.8.2. Link to Request Carrier Pickup
- Success (page 6)
 - 9.1. After the print browser window is closed, the Success page will be displayed.




Illustration 66: Success page

- 9.2. Text: Your Shipping Request has been completed
- 9.3. Fields

Ę

ď

ΓŲ

- 9.3.1. iShip Package Number
- 9.3.2. Shipment Info
 - 9.3.2.1. Number of packages
 - 9.3.2.2. Total weight
 - 9.3.2.3. Description of goods for lead package
- 9.3.3. Carrier
- 9.3.4. Service
- 9.3.5. Drop off location
- 9.3.6. Return Address
- 9.3.7. Destination Address
- 9.3.8. Costs
 - 9.3.8.1. Service charge
 - 9.3.8.2. Service options charge
 - 9.3.8.3. Total costs
- 9.3.9. Payment Type
- 10. Request Carrier Pickup
 - 10.1. Request Cancel Carrier Pickup
- 11. Enterprise customers will be able to ship a package to an iShip user by entering the user's e-mail address only.
 - 11.1. This feature will only be available for shipping to iShip users who have selected to participate in this option.

10.1.2. Without Rate Grid

- 1. If the drop off location is MBE and affiliate has selected "no rate grid" for MBE, an alternate path through Ship It will be displayed:
- 2. Navigation bar headings will be:
 - 2.1. Start Page (if turned on in preferences)

- 2.2. Prepare Shipping mate
- 2.3. Package Options
 - 2.3.1. For multiple-package shipments, there will be a Package Options listing for each package.
- 2.4. Shipping Options
- 2.5. Print Traveler
- 3. Application Start Page (if turned on in preferences)
 - 3.1. Return Address
 - 3.1.1. Contact Name
 - 3.1.2. Company Name
 - 3.1.3. Street Address
 - 3.1.4. Room/Floor (Address 2)
 - 3.1.5. Department (Address 3)
 - 3.1.6. City
 - 3.1.7. State
 - 3.1.8. ZIP Code
 - 3.1.9. Telephone
 - 3.1.10. E-mail address
 - 3.1.11. Link to Address Book
 - 3.2. Destination Address
 - 3.2.1. Address Nickname text box
 - 3.2.2. Contact Name
 - 3.2.3. Company Name
 - 3.2.4. Street (Address 1)
 - 3.2.5. Room/Floor (Address 2)
 - 3.2.6. Department (Address 3)
 - 3.2.7. City
 - 3.2.8. State or Province
 - 3.2.9. ZIP or Postal Code
 - 3.2.10. Country
 - 3.2.11. Telephone (required)
 - 3.2.12. E-mail address
 - 3.2.13. Delivery address Business/Residence selection
 - 3.2.14. Link to Address Book
 - 3.3. Package, for each package
 - 3.3.1. Package weight
 - 3.3.2. Packaging type
 - 3.3.3. Package dimensions
 - 3.3.4. Service options
 - 3.4. Shipping Options
 - 3.4.1. Number of packages in shipment
 - 3.4.2. Ship Date
 - 3.4.3. Delivery Deadline (show if selected)
 - 3.4.4. Delivery Options
 - 3.5. Drop off Location
- 4. Shipping Addresses (page 1) (see Common Req. #4.8.1.11)
 - 4.1. Buttons
 - 4.1.1. Show Rates

- 4.1.2. Next
- 4.1.3. Save
- 4.1.4. Cancel
- 5. Package Options (page 2)
 - 5.1. The Shipment definition section will be displayed (see Common Req. #4.8.1.7) for package 1 only.
 - 5.2. The Package Options page will be displayed:
 - 5.2.1. For each package 1-n when the user selects a number (n) greater than one in the field "Number of Packages in my Shipment" and answers No to "All the packages in my shipment are the same."
 - 5.2.2. The default value for each field will be the previously entered value for that field in the current shipment.
 - 5.3. Package Weight and Type for package x of n (see Common Req. #4.8.1.8)
 - 5.4. Advanced Package Options for package x of n (see Common Req. #4.8.1.9)
 - 5.4.1. Enterprise tracking number.
 - 5.4.1.1. The availability of this feature shall be configurable by the Administrator.
 - 5.4.1.2. If populated, this field shall always be printed on the label and/or traveler.
 - 5.5. Buttons
 - 5.5.1. Show Rates
 - 5.5.2. Back
 - 5.5.3. Next
 - 5.5.4. Save
 - 5.5.5. Cancel
- Shipping Options (page 3) (see Common Req. #4.8.1.10)
 - **6.1.** The Shipment Information page will be displayed when the user selects Next from the Prepare Estimate or Package Options page and all required shipment and package information has been collected.
 - 6.2. All Shipping Options (see Common Req. #4.8.1.10):
 - 6.2.1. Handling Charges will not be displayed (see Common Req. #4.8.1.10.12)
 - 6.3. Buttons
 - 6.3.1. Back
 - 6.3.2. Next
 - 6.3.3. Save
 - 6.3.4. Cancel
 - 6.4. After all shipment information has been entered, the user will be displayed a summary page.
 - 6.4.1. The summary page will be the Shipping Charges page (see Common Req. #4.8.2)
 - 6.4.1.1. The rate grid will not be displayed.
 - 6.4.1.2. Summary of charges will not be displayed
 - 6.5. A Traveler will be printed
 - 6.5.1. The Traveler will include
 - 6.5.1.1. EPSO number
 - 6.5.1.2. iShip Tracking number/Traveler number
 - 6.5.1.3. Location of selected MBE
 - 6.5.1.4. Phone number of selected MBE
 - 6.5.1.5. Drop off deadline
 - 6.5.1.6. Instructions on what to do next.

11. Track It

11.1.1. Navigation

- 1. The Track It navigation bar shall include
 - 1.1. Track a Package
 - 1.2. Pending Packages
 - 1.3. Shipped Packages
 - 1.4. Inbound Packages
 - 1.5. AT RISK: Perform End of Day
 - 1.5.1. Shown for Privileged users only
 - 1.6. If the user has rights to ship for another user, then View History for cproxy user name will also appear on the navigation bar.
 - 1.6.1. The availability of this feature is configurable by the Administrator.
 - 1.6.2. When a user selects "View History for proxy user name>," all logs will show the items in the database for the database for the database for can be selected to the data

11.1.2. One-Field Tracking

1. Track It will allow one-field tracking of all packages shipped with supported carriers.






Illustration 67: One-Field Tracking

- 1.1. A text field for entry of a tracking number.
- 1.2. Graphic of logos of supported carriers.
- 1.3. The number of tracking numbers allowed shall be a configurable item.
- 1.4. Buttons
 - 1.4.1. Submit
 - 1.4.2. Reset
 - 1.4.3. Done

2. Track multiple packag







Illustration 68: Results for track multiple packages



- 2.1. When multiple packages have been tracked, display:
 - 2.1.1. List of package summaries.
 - 2.1.1.1. Status
 - 2.1.1.2. Destination
 - 2.1.1.2.1. Ship To (if known)
 - 2.1.1.2.2. Destination place if Ship To is not known
 - 2.1.1.3. Tracking number
 - 2.1.1.4. Carrier/Service
 - 2.1.1.5. Ship Date (if known)
 - 2.1.1.6. Delivery Date (if known)
 - 2.1.2. Each package will have a link to Tracking Information page for that package.
 - 2.1.3. Buttons
 - 2.1.3.1. Track Another
- 2.2. Done
- Tracking Information page

- 3.1. When tracking at tracking number or linking to Tracking tracking tracking Information page shall be displayed.
- 3.2. Tracking Results:
 - 3.2.1. Package Status
 - 3.2.2. Carrier and Service
 - 3.2.3. iShip package number if available
 - 3.2.4. Carrier Tracking Number
 - 3.2.5. Actual Ship Date if available
 - 3.2.6. Actual or expected Delivery Location if available.
 - 3.2.7. Actual or expected Delivery Date if available.
 - 3.2.8. Actual or expected Delivery Time if available.
 - 3.2.9. Signed For By if available.
 - 3.2.10. Last Scan Information
 - 3.2.11. Date and time the tracking information was presented.






Illustration 70: Tracking Results

- 3.3. E-Mail tracking link:
 - 3.3.1. The user will be allowed to e-mail the tracking URL to up to three e-mail addresses:
 - 3.3.1.1. Three text fields for names.
 - When a user is logged on, his Contact Name from preferences will be pre-populated in the Name 1 field.
 - 3.3.1.2. Three text fields for e-mail addresses.
 - 3.3.1.2.1. When a user is logged on, his e-mail address from preferences will be pre-populated in the E-mail address 1 field.
 - 3.3.1.3. A message box for a message.

- 3.3.1. If one or more e-mail address fields have the filled in, then:
 - 3.3.1.4.1. The names, e-mail address, and message will be stored along with the package tracking number.
 - 3.3.1.4.2. Each e-mail address will be stored only one time for each package tracking number.
- 3.3.1.5. If the package has not yet been delivered, a check box for e-mail notification of delivery will be displayed.
 - 3.3.1.5.1. If the check box is selected.
 - 3.3.1.5.1.1. The package will be tracked at regular intervals.
 - 3.3.1.5.1.2. When the package has been delivered, the notification of delivery e-mail with the stored message will be sent once to each stored name
- 3.3.2. On Submit, the user will be returned to the initial Track It page. The text on the Track It page will read in red "Your request has been successfully submitted". In black below this message will be the text: To track another package, enter the tracking number in the field below and click on Submit.
- 3.4. Add to Inbound Packages link
 - 3.4.1. Non-logged in users will be displayed the Log On/Register Now page.
 - 3.4.2. The user will be displayed a pop-up window
 - 3.4.2.1. Check box to add to inbound packages log
 - 3.4.2.2. Reference number text box
 - 3.4.2.3. Buttons
 - 3.4.2.3.1. OK
 - 3.4.2.3.2. Close
 - 3.4.3. If the user selects OK,
 - 3.4.3.1. The package information will be added to the user's inbound tracking log.
 - 3.4.3.1.1. Reference number
 - 3.4.3.1.2. Package Status
 - 3.4.3.1.3. Carrier and Service
 - 3.4.3.1.4. iShip package number if available
 - 3.4.3.1.5. Carrier Tracking Number
 - 3.4.3.1.6. Actual Ship Date if available
 - 3.4.3.1.7. Actual or expected Delivery Location if available.
 - 3.4.3.1.8. Actual or expected Delivery Date if available.
 - 3.4.3.1.9. Actual or expected Delivery Time if available.
 - 3.4.3.1.10. Signed For By if available.
 - 3.4.3.1.11. Last Scan Information
 - 3.4.3.2. The user will be returned to the tracking results page.
 - 3.4.3.2.1. A message will be displayed: "Tracking Number <tracking number> has been added to your Inbound Package Log."
- 3.5. Show more details on this package link.
 - 3.5.1. Displayed when:
 - 3.5.1.1. The user is logged in
 - 3.5.1.2. The user tracked the package using the MSI tracking number.
 - 3.5.1.3. The user shipped the package or the user paid for the package.
 - 3.5.2. When selected, the full details of the package will be displayed (see Req. # 11.1.3.7).
- 3.6. Buttons
 - 3.6.1. Submit
 - 3.6.2. Track Another

3.6.2.1 The Track Another button will take the us to the initial Track It page.
3.6.3. Done

- 4. Unable to reach carrier
 - 4.1. When any carrier for which a tracking request is submitted cannot be reached to update tracking information:
 - 4.1.1. If any tracking information is stored in the iShip database, the most recent tracking information for the package will be displayed.
 - 4.1.1.1. A message will be displayed: "<Carrier name> is not responding to our request. This information is up to date as of <date of last tracking update>. Please try your tracking request again in a few minutes."
 - 4.1.2. If the tracking information is not found in the iShip database, an error page will be displayed: "<Carrier name> is not responding to our request. Please try your tracking request again in a few minutes."
- 5. Tracking Errors






Illustration 71: Track It error page

- 5.1. If any tracking number entered by the user on the Track It page is not recognized by any supported carrier, the user will be taken to the Tracking Errors page
 - 5.1.1. List of package summaries for valid packages (see Req. #11.1.2.2.1.1).
 - 5.1.2. For each tracking number not found:
 - 5.1.2.1. Error message:
 - **5.1.2.1.1.** "We were unable to track your package

<tracking number>

Please make sure the tracking number is correct, select a carrier from the list below, and click on Submit."

- 5.1.2.2. A text field for entry of a tracking number (required)
 - 5.1.2.2.1. The tracking number previously entered by the user will be retained in the tracking number field.
- 5.1.2.3. A drop down list for carrier types.
 - 5.1.2.3.1. The drop down list will contain an entry for each supported carrier.
 - 5.1.2.3.2. The default entry for the drop down list will be "(Select One)".

5.1.2.4 text field for entry of a ship date.



5.1.2.4.1. The ship date field will only be used if the entered tracking number is a FedEx number

- 5.1.3. Graphic of logos of supported carriers.
- **5.1.4.** Buttons
 - 5.1.4.1. Back
 - 5.1.4.2. Submit
 - 5.1.4.3. Reset
 - 5.1.4.4. Done

11.1.3. Tracking History (logged on users only)

iShip.com.




Illustration 72: Tracking Logs

- 1. All packages shipped by the user will appear in the Outbound Shipping Log.
 - 1.1. Shipments will be represented with a single row.
 - 1.1.1. The summary details of the lead package in the shipment will be displayed.
 - 1.1.2. The shipment may be rolled down to see package rows.
 - 1.1.2.1. The shipment may be rolled back up to a single shipment row.
 - 1.2. Buttons
 - 1.2.1. Delete
 - 1.2.2. Track Now

1.2.3. Done

- 2. All packages shipped to me user will appear in the Inbound Shipping Log
 - 2.1. Packages entered into inbound shipping log (see Req. #11.1.2.3.4)
 - 2.2. AT RISK: Packages shipped to user from another iShip user (see Req. #7.1.1.2.2)
 - 2.3. Buttons
 - 2.3.1. Delete
 - 2.3.2. Track Now
 - 2.3.3. Done
- 3. Packages shipped or pending but not manifested; voided packages; and packages saved from Price It, Sell It, or Ship It, will appear in the Pending Shipping Log.
 - 3.1. Voided packages will be removed from the display after 24 hours.
 - 3.1.1. The length of time voided packages will be displayed will be configurable.
 - 3.2. Buttons
 - 3.2.1. Void
 - 3.2.1.1. When Void is pressed, an alert box will be displayed: "Do you want to Void these packages?"

3.2.1.1.1. OK


3.2.1.1.2. Close

3.2.1.2. If the user selects OK:

3.2.1.2.1. All checked packages will be given a status of Void

- 3.2.2. Reprint
 - 3.2.2.1. When Reprint is pressed, labels or travelers for all checked packages will be printed (see Req. #10.1.1.8).
- 3.2.3. Done
- 4. A "track now" checkbox will be displayed next to each Outbound and Inbound package
 - 4.1. When the checkbox is selected and the Track Now button is pressed, the selected packages will be tracked.
 - 4.2. After packages are tracked, the status of the packages will be updated on the page.
 - 4.3. The checked state will not be maintained after the user leaves the page.
- 5. Tracking logs will conform to Common List behaviors (see Common Req. #4.9).
- 6. Summary in log will show:
 - 6.1. Consignee (for outbound); Origin if known (for inbound)
 - 6.1.1. Contact Name
 - 6.1.2. Company Name
 - 6.2. iShip Tracking Number
 - 6.3. Reference Number
 - 6.4. Carrier/Service
 - 6.5. Ship Date
 - 6.6. Expected Delivery Date
 - 6.7. Status
- 7. Each package row will be a link to package level details. Details for package will show
 - 7.1. Origin Address
 - 7.2. Destination Address
 - 7.3. Costs
 - 7.3.1. Service
 - 7.3.2. Service Options
 - 7.3.3. Handling Charges
 - 7.3.4. Total





7.4.2. If payment by Credit Card, Credit Card Number

7.4.2.1. Only the last four digits will be displayed in clear text

- 7.5. Item description
- 7.6. Reference Number
- 7.7. iShip package number
- 7.8. Package Status
- 7.9. Carrier and Service
- 7.10. Carrier Tracking Number
- 7.11. Actual Ship Date if available.
- 7.12. Actual or expected Delivery Location if available.
- 7.13. Actual or expected Delivery Date if available.
- 7.14. Actual or expected Delivery Time if available.
- 7.15. Signed For By if available.
- 7.16. Last Scan Information
- 7.17. Date and time the tracking information was presented.
- 7.18. Full carrier scan information
 - 7.18.1. AT RISK: Full carrier scan information for Yellow Freight.
- 7.19. Buttons
 - 7.19.1. Repeat Shipment
 - 7.19.1.1. The user will be taken to the first page of Ship It.
 - 7.19.1.2. All fields will be pre-populated with the information from the copied shipment.
 - 7.19.2. Done
- 8. Sorting
 - 8.1. Clicking on a heading in a log will sort the log by that field.
 - 8.1.1. Headings
 - 8.1.1.1. Status
 - 8.1.1.2. Ship To
 - 8.1.1.3. Ship Date
 - 8.1.1.4. Delivery Date
 - 8.1.1.5. Carrier/Service
 - 8.1.2. Clicking once will sort the log in ascending order.
 - 8.1.3. Clicking again will sort the log in descending order.
- 9. Filtering
 - 9.1. Status drop down list
 - 9.1.1. List will show all status types present in the log being displayed.
 - 9.2. Ship To text box
 - 9.3. Ship Date Range
 - 9.3.1. Label will be Ship Date
 - 9.3.2. Text box for beginning date in range
 - 9.3.2.1. Label will be "From"
 - 9.3.2.2. After the text box a tailing descriptor will read "mm/dd/yyyy".
 - 9.3.3. Text box for ending date in range
 - 9.3.3.1. Label will be "To"
 - 9.3.3.2. After the text box a tailing descriptor will read "mm/dd/yyyy".
 - 9.3.4. Dates may be entered as mm/dd/yyyy or mmddyyyy or mm-dd-yyyy.

- 9.3.4.1 an invalid entry is made into either date of, an error message will be isplayed: "You have entered an invalid day: Please enter dates in the format mm/dd/yyyy."
- 9.3.5. Query will find all packages shipped from the beginning date to the end date, inclusive.
 - 9.3.5.1. If a beginning date is entered with no ending date, all packages shipped on that date and after that date will be shown.
 - 9.3.5.2. If an ending date is entered with no beginning date, all packages shipped on that date and before that date will be shown.
- 9.4. Update button
- 9.5. On Update, the log will show only those records meeting all criteria selected by the user.
- 10. AT RISK: Privileged users will see an End of Day tab.
 - 10.1. List of Carriers
 - 10.1.1. Carrier Name
 - 10.1.2. Status
 - 10.1.3. Carrier Account No.
 - 10.1.4. Pickup Time
 - 10.1.5. Number of packages
 - 10.1.6. Perform End of Day
 - 10.2. When End of Day is performed:
 - 10.2.1. Packages will be marked manifested.
 - 10.2.2. Packages will move to the users' Outbound packages log.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.